


15ft Heavy Duty 14/3 SPT-3 Low Profile Flat Extension Cords



Our Heavy Duty 14/3 SPT-3 Low Profile Flat Extension Cords are designed for use in convention centers, exhibition halls, auditoriums, industrial locations, tradeshow booths and floor displays.

FEATURES

- Soft drawn, annealed, bunch stranded 100% copper conductors offer maximum flexibility and amperage transmission.
- Low Profile jacket lays flat and out of the way for safety and appearance
- Black Cord and Ends blend or disappear into the background making it ideal for tradeshows and conventions where discretion is needed.
- Heavy duty flexible jacket provides outstanding flexibility
- Our 15A-125V (NEMA 5-15) heavy duty plugs and connectors are molded on with large strain reliefs that prevent the ends from pulling away from the cord body.
- Jacket Color: Black
- Ends: Black

WARNING:  This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number
D11814115

Length
15'

Description
14/3 SPT-3 Flat Extension Cord

Product line
Flat Extension Cords

Color
Black

Gauge/Conductors
14/3

Wire type
SPT-3

Certifications
UL, cUL, OSHA

Electrical ratings
15A, 125V, 1875W

Product packaging
Cuff wrapper

Unit dimensions D x W x H (inches)
9.5 x 9.5 x 1.3

Unit weight (lbs)
1.5

Master carton type
Plain corrugated

Master carton dimensions D x W x H
? x ? x ?

Master carton weight (lbs)
?

Master carton case quantity
30

Master carton cube (cu. ft.)
?

UPC
661899 10450?

**Custom Print Available,
Absolutely Free!
Allow 7 Extra Days For
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.


25ft Heavy Duty 14/3 SPT-3 Low Profile Flat Extension Cords



Our Heavy Duty 14/3 SPT-3 Low Profile Flat Extension Cords are designed for use in convention centers, exhibition halls, auditoriums, industrial locations, tradeshow booths and floor displays.

FEATURES

- Soft drawn, annealed, bunch stranded 100% copper conductors offer maximum flexibility and amperage transmission.
- Low Profile jacket lays flat and out of the way for safety and appearance
- Black Cord and Ends blend or disappear into the background making it ideal for tradeshows and conventions where discretion is needed.
- Heavy duty flexible jacket provides outstanding flexibility
- Our 15A-125V (NEMA 5-15) heavy duty plugs and connectors are molded on with large strain reliefs that prevent the ends from pulling away from the cord body.
- Jacket Color: Black
- Ends: Black

WARNING:  This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number
D11814125

Length
25'

Description
14/3 SPT-3 Flat Extension Cord

Product line
Flat Extension Cords

Color
Black

Gauge/Conductors
14/3

Wire type
SPT-3

Certifications
n/a

Electrical ratings
15A, 125V, 1875W

Product packaging
Cuff wrapper

Unit dimensions D x W x H (inches)
10.0 x 10.0 x 1.5

Unit weight (lbs)
2.5

Master carton type
Plain corrugated

Master carton dimensions D x W x H
20.5 x 20.5 x ?

Master carton weight (lbs)
?

Master carton case quantity
24

Master carton cube (cu. ft.)
2.2

UPC
661899 104516

**Custom Print Available,
Absolutely Free!
Allow 7 Extra Days For
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.

50ft Heavy Duty 14/3 SPT-3 Low Profile Flat Extension Cords



Our Heavy Duty 14/3 SPT-3 Low Profile Flat Extension Cords are designed for use in convention centers, exhibition halls, auditoriums, industrial locations, tradeshow booths and floor displays.

FEATURES

- Soft drawn, annealed, bunch stranded 100% copper conductors offer maximum flexibility and amperage transmission.
- Low Profile jacket lays flat and out of the way for safety and appearance
- Black Cord and Ends blend or disappear into the background making it ideal for tradeshows and conventions where discretion is needed.
- Heavy duty flexible jacket provides outstanding flexibility
- Our 15A-125V (NEMA 5-15) heavy duty plugs and connectors are molded on with large strain reliefs that prevent the ends from pulling away from the cord body.
- Jacket Color: Black
- Ends: Black

WARNING: ⚠ This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number
D11814150

Length
50'

Description
14/3 SPT-3 Flat Extension Cord

Product line
Flat Extension Cords

Color
Black

Gauge/Conductors
14/3

Wire type
SPT-3

Certifications
n/a

Electrical ratings
15A, 125V, 1875W

Product packaging
Cuff wrapper

Unit dimensions D x W x H (inches)
11.0 x 11.0 x 2.3

Unit weight (lbs)
4.8

Master carton type
Plain corrugated

Master carton dimensions D x W x H
11.0 x 22.0 x ?

Master carton weight (lbs)
?

Master carton case quantity
12

Master carton cube (cu. ft.)
2.0

UPC
661899 104523

**Custom Print Available,
Absolutely Free!
Allow 7 Extra Days For
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.


15ft Heavy Duty 12/3 SPT-3 Low Profile Flat Extension Cords



Our Heavy Duty 12/3 SPT-3 Low Profile Flat Extension Cords are designed for use in convention centers, exhibition halls, auditoriums, industrial locations, tradeshow booths and floor displays.

FEATURES

- Soft drawn, annealed, bunch stranded 100% copper conductors offer maximum flexibility and amperage transmission.
- Low Profile jacket lays flat and out of the way for safety and appearance
- Heavy duty flexible jacket provides outstanding flexibility
- Color coded connectors help the user pull the right cord from inventory: 15ft. cords feature White ends; 25ft. cords feature Blue ends; and 50ft. cords feature Red ends.
- Jacket Color: Grey
- Our 15A-125V (NEMA 5-15) heavy duty plugs and connectors are molded on with large strain reliefs that prevent the ends from pulling away from the cord body.

WARNING:  This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number
D11820015

Length
15'

Description
**12/3 SPT-3 Low Profile
Extension Cord**

Product line
Flat Extension Cords

Color
Grey

Gauge/Conductors
12/3

Wire type
Low Profile SPT-3

Certifications
n/a

Electrical ratings
15A, 125V, 1875W

Product packaging
Cuff wrapper

Unit dimensions D x W x H (inches)
9.5 x 9.5 x 2.0

Unit weight (lbs)
1.0

Master carton type
Plain corrugated

Master carton dimensions D x W x H
20.5 x 20.5 x ?

Master carton weight (lbs)
?

Master carton case quantity
24

Master carton cube (cu. ft.)
1.6

UPC
661899 111965

**Custom Print Available,
Absolutely Free!
Allow 7 Extra Days For
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.


25ft Heavy Duty 12/3 SPT-3 Low Profile Flat Extension Cords



Our Heavy Duty 12/3 SPT-3 Low Profile Flat Extension Cords are designed for use in convention centers, exhibition halls, auditoriums, industrial locations, tradeshow booths and floor displays.

FEATURES

- Soft drawn, annealed, bunch stranded 100% copper conductors offer maximum flexibility and amperage transmission.
- Low Profile jacket lays flat and out of the way for safety and appearance
- Heavy duty flexible jacket provides outstanding flexibility while being resistant to grease and grime.
- Color coded connectors help the user pull the right cord from inventory: 15ft. cords feature White ends; 25ft. cords feature Blue ends; and 50ft. cords feature Red ends.
- Jacket Color: Grey
- Our 15A-125V (NEMA 5-15) heavy duty plugs and connectors are molded on with large strain reliefs that prevent the ends from pulling away from the cord body.

WARNING:  This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number
D11820025

Length
25'

Description
12/3 SPT-3 Low Profile Extension Cord

Product line
Flat Extension Cords

Color
Grey

Gauge/Conductors
12/3

Wire type
Low Profile SPT-3

Certifications
n/a

Electrical ratings
15A, 125V, 1875W

Product packaging
Cuff wrapper

Unit dimensions D x W x H (inches)
10.0 x 10.0 x 1.5

Unit weight (lbs)
3.0

Master carton type
Plain corrugated

Master carton dimensions D x W x H
10.5 x 20.0 x ?

Master carton weight (lbs)
?

Master carton case quantity
12

Master carton cube (cu. ft.)
1.0

UPC
661899 111972

**Custom Print Available,
Absolutely Free!
Allow 7 Extra Days For
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.


50ft Heavy Duty 12/3 SPT-3 Low Profile Flat Extension Cords



Our Heavy Duty 12/3 SPT-3 Low Profile Flat Extension Cords are designed for use in convention centers, exhibition halls, auditoriums, industrial locations, tradeshow booths and floor displays.

FEATURES

- Soft drawn, annealed, bunch stranded 100% copper conductors offer maximum flexibility and amperage transmission.
- Low Profile jacket lays flat and out of the way for safety and appearance
- Heavy duty flexible jacket provides outstanding flexibility while being resistant to grease and grime.
- Color coded connectors help the user pull the right cord from inventory: 15ft. cords feature White ends; 25ft. cords feature Blue ends; and 50ft. cords feature Red ends.
- Jacket Color: Grey
- Our 15A-125V (NEMA 5-15) heavy duty plugs and connectors are molded on with large strain reliefs that prevent the ends from pulling away from the cord body.

WARNING:  This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number
D11820050

Length
50'

Description
**12/3 SPT-3 Low Profile
Extension Cord**

Product line
Flat Extension Cords

Color
Grey

Gauge/Conductors
12/3

Wire type
Low Profile SPT-3

Certifications
n/a

Electrical ratings
15A, 125V, 1875W

Product packaging
Cuff wrapper

Unit dimensions D x W x H (inches)
11.0 x 11.0 x 2.0

Unit weight (lbs)
5.8

Master carton type
Plain corrugated

Master carton dimensions D x W x H
12.0 x 24.0 x ?

Master carton weight (lbs)
?

Master carton case quantity
12

Master carton cube (cu. ft.)
1.9

UPC
661899 111989

**Custom Print Available,
Absolutely Free!
Allow 7 Extra Days For
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.


100ft Heavy Duty 12/3 SPT-3 Low Profile Flat Extension Cords



Our Heavy Duty 12/3 SPT-3 Low Profile Flat Extension Cords are designed for use in convention centers, exhibition halls, auditoriums, industrial locations, tradeshow booths and floor displays.

FEATURES

- Soft drawn, annealed, bunch stranded 100% copper conductors offer maximum flexibility and amperage transmission.
- Low Profile jacket lays flat and out of the way for safety and appearance
- Heavy duty flexible jacket provides outstanding flexibility while being resistant to grease and grime.
- Color coded connectors help the user pull the right cord from inventory: 15ft. cords feature White ends; 25ft. cords feature Blue ends; and 50ft. cords feature Red ends.
- Jacket Color: Grey
- Our 15A-125V (NEMA 5-15) heavy duty plugs and connectors are molded on with large strain reliefs that prevent the ends from pulling away from the cord body.

WARNING:  This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number
D11820100

Length
100'

Description
**12/3 SPT-3 Low Profile
Extension Cord**

Product line
Flat Extension Cords

Color
Grey

Gauge/Conductors
12/3

Wire type
Low Profile SPT-3

Certifications
n/a

Electrical ratings
15A, 125V, 1875W

Product packaging
Cuff wrapper

Unit dimensions D x W x H (inches)
13.0 x 13.0 x 2.5

Unit weight (lbs)
11.3

Master carton type
Plain corrugated

Master carton dimensions D x W x H
13.0 x 13.0 x ?

Master carton weight (lbs)
?

Master carton case quantity
6

Master carton cube (cu. ft.)
1.3

UPC
661899 111996

**Custom Print Available,
Absolutely Free!
Allow 7 Extra Days For
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.

15ft Heavy Duty Style #12 SPT-3 Low Profile Flat Extension Cords



Our Heavy Duty Style #12 SPT-3 Low Profile Flat Extension Cords are designed for use in convention centers, exhibition halls, auditoriums, industrial locations, tradeshow booths and floor displays.

FEATURES

- Soft drawn, annealed, bunch stranded 100% copper conductors offer maximum flexibility and amperage transmission.
- Low Profile jacket lays flat and out of the way for safety and appearance
- Heavy duty flexible jacket provides outstanding flexibility while being resistant to grease and grime.
- Color coded connectors help the user pull the right cord from inventory: 15ft. cords feature White ends; 25ft. cords feature Blue ends; and 50ft. cords feature Red ends.
- Jacket Color: Grey
- Our 15A-125V (NEMA 5-15) heavy duty plugs and connectors are molded on with large strain reliefs that prevent the ends from pulling away from the cord body.

WARNING: ⚠ This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number
D11821015

Length
15'

Description
**12/3 SPT-3 Low Profile
Extension Cord**

Product line
Flat Extension Cords

Color
Black

Gauge/Conductors
12/3

Wire type
Low Profile SPT-3

Certifications
n/a

Electrical ratings
15A, 125V, 1875W

Product packaging
Cuff wrapper

Unit dimensions D x W x H (inches)
10.0 x 10.0 x 1.0

Unit weight (lbs)
2.0

Master carton type
Plain corrugated

Master carton dimensions D x W x H
20.5 x 20.5 x ?

Master carton weight (lbs)
?

Master carton case quantity
24

Master carton cube (cu. ft.)
1.7

UPC
661899 112009

**Custom Print Available,
Absolutely Free!
Allow 7 Extra Days For
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.

25ft Heavy Duty 12/3 SPT-3 Low Profile Flat Extension Cords



Our Heavy Duty 12/3 SPT-3 Low Profile Flat Extension Cords are designed for use in convention centers, exhibition halls, auditoriums, industrial locations, tradeshow booths and floor displays.

FEATURES

- Soft drawn, annealed, bunch stranded 100% copper conductors offer maximum flexibility and amperage transmission.
- Low Profile jacket lays flat and out of the way for safety and appearance
- Heavy duty flexible jacket provides outstanding flexibility while being resistant to grease and grime.
- Color coded connectors help the user pull the right cord from inventory: 15ft. cords feature White ends; 25ft. cords feature Blue ends; and 50ft. cords feature Red ends.
- Jacket Color: Grey
- Our 15A-125V (NEMA 5-15) heavy duty plugs and connectors are molded on with large strain reliefs that prevent the ends from pulling away from the cord body.

WARNING: ⚠ This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number
D11821025

Length
25'

Description
12/3 SPT-3 Low Profile Extension Cord

Product line
Flat Extension Cords

Color
Grey

Gauge/Conductors
12/3

Wire type
Low Profile SPT-3

Certifications
n/a

Electrical ratings
15A, 125V, 1875W

Product packaging
Cuff wrapper

Unit dimensions D x W x H (inches)
10.0 x 10.0 x 1.5

Unit weight (lbs)
3.0

Master carton type
Plain corrugated

Master carton dimensions D x W x H
11.0 x 21.0 x ?

Master carton weight (lbs)
?

Master carton case quantity
12

Master carton cube (cu. ft.)
1.1

UPC
661899 112016

**Custom Print Available,
Absolutely Free!
Allow 7 Extra Days For
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.

50ft Heavy Duty 12/3 SPT-3 Low Profile Flat Extension Cords



Our Heavy Duty 12/3 SPT-3 Low Profile Flat Extension Cords are designed for use in convention centers, exhibition halls, auditoriums, industrial locations, tradeshow booths and floor displays.

FEATURES

- Soft drawn, annealed, bunch stranded 100% copper conductors offer maximum flexibility and amperage transmission.
- Low Profile jacket lays flat and out of the way for safety and appearance
- Heavy duty flexible jacket provides outstanding flexibility while being resistant to grease and grime.
- Color coded connectors help the user pull the right cord from inventory: 15ft. cords feature White ends; 25ft. cords feature Blue ends; and 50ft. cords feature Red ends.
- Jacket Color: Black
- Our 15A-125V (NEMA 5-15) heavy duty plugs and connectors are molded on with large strain reliefs that prevent the ends from pulling away from the cord body.

WARNING: ⚠ This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number
D11821050

Length
50'

Description
12/3 SPT-3 Low Profile Extension Cord

Product line
Flat Extension Cords

Color
Black

Gauge/Conductors
12/3

Wire type
Low Profile SPT-3

Certifications
n/a

Electrical ratings
15A, 125V, 1875W

Product packaging
Cuff wrapper

Unit dimensions D x W x H (inches)
11.5 x 11.5 x 2.0

Unit weight (lbs)
6.0

Master carton type
Plain corrugated

Master carton dimensions D x W x H
12.0 x 23.5 x ?

Master carton weight (lbs)
?

Master carton case quantity
6

Master carton cube (cu. ft.)
1.0

UPC
661899 112023

**Custom Print Available,
Absolutely Free!
Allow 7 Extra Days For
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.


100ft Heavy Duty 12/3 SPT-3 Low Profile Flat Extension Cords



Our Heavy Duty 12/3 SPT-3 Low Profile Flat Extension Cords are designed for use in convention centers, exhibition halls, auditoriums, industrial locations, tradeshow booths and floor displays.

FEATURES

- Soft drawn, annealed, bunch stranded 100% copper conductors offer maximum flexibility and amperage transmission.
- Low Profile jacket lays flat and out of the way for safety and appearance
- Heavy duty flexible jacket provides outstanding flexibility while being resistant to grease and grime.
- Color coded connectors help the user pull the right cord from inventory: 15ft. cords feature White ends; 25ft. cords feature Blue ends; and 50ft. cords feature Red ends.
- Jacket Color: Black
- Our 15A-125V (NEMA 5-15) heavy duty plugs and connectors are molded on with large strain reliefs that prevent the ends from pulling away from the cord body.

WARNING:  This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number
D11821100

Length
100'

Description
**12/3 SPT-3 Low Profile
Extension Cord**

Product line
Flat Extension Cords

Color
Black

Gauge/Conductors
12/3

Wire type
Low Profile SPT-3

Certifications
n/a

Electrical ratings
15A, 125V, 1875W

Product packaging
Cuff wrapper

Unit dimensions D x W x H (inches)
13.0 x 13.0 x 2.5

Unit weight (lbs)
11.3

Master carton type
Plain corrugated

Master carton dimensions D x W x H
13.0 x 13.0 x ?

Master carton weight (lbs)
?

Master carton case quantity
6

Master carton cube (cu. ft.)
1.3

UPC
661899 11203?

**Custom Print Available,
Absolutely Free!
Allow 7 Extra Days For
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.

15ft Style #12 SPT-2 Flat Extension Cord



Our Style #12 SPT-2 Flat Extension Cords are designed for use in convention centers, exhibition halls and hotels for bringing portable power to trade show booths and displays.

FEATURES

- Soft drawn, annealed, bunch stranded 100% copper conductors offer maximum flexibility and amperage transmission.
- Low Profile jacket lays flat and out of the way for safety and appearance
- Color coded connectors help the user pull the right cord from inventory: 15ft. cords feature White ends; 25ft. cords feature Blue ends; and 50ft. cords feature Red ends.
- Heavy duty flexible jacket provides outstanding flexibility while being resistant to grease and grime.
- Our 15A-125V (NEMA 5-15) heavy duty plugs and connectors are molded on with large strain reliefs that prevent the ends from pulling away from the cord body.
- Jacket Color: Grey

WARNING: ⚠ This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number
D14321115

Length
15'

Description
**Style #12 SPT-2 Flat
Extension Cord**

Product line
Flat Extension Cords

Color
Grey

Gauge/Conductors
14/3

Wire type
SPT-2

Certifications
n/a

Electrical ratings
15A, 125V, 1875W

Product packaging
Cuff wrapper

Unit dimensions D x W x H (inches)
9.5 x 9.5 x 1.3

Unit weight (lbs)
1.5

Master carton type
Plain corrugated

Master carton dimensions D x W x H
19.0 x 19.0 x ?

Master carton weight (lbs)
?

Master carton case quantity
24

Master carton cube (cu. ft.)
1.6

UPC
661899 104882

**Custom Print Available,
Absolutely Free!
Allow 7 Extra Days For
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.

25ft Style #12 SPT-2 Flat Extension Cord



Our Style #12 SPT-2 Flat Extension Cords are designed for use in convention centers, exhibition halls and hotels for bringing portable power to trade show booths and displays.

FEATURES

- Soft drawn, annealed, bunch stranded 100% copper conductors offer maximum flexibility and amperage transmission.
- Low Profile jacket lays flat and out of the way for safety and appearance
- Color coded connectors help the user pull the right cord from inventory: 15ft. cords feature White ends; 25ft. cords feature Blue ends; and 50ft. cords feature Red ends.
- Heavy duty flexible jacket provides outstanding flexibility while being resistant to grease and grime.
- Our 15A-125V (NEMA 5-15) heavy duty plugs and connectors are molded on with large strain reliefs that prevent the ends from pulling away from the cord body.
- Jacket Color: Grey

WARNING: ⚠ This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number
D14321125

Length
25'

Description
Style #12 SPT-2 Flat Extension Cord

Product line
Flat Extension Cords

Color
Grey

Gauge/Conductors
14/3

Wire type
SPT-2

Certifications
n/a

Electrical ratings
15A, 125V, 1875W

Product packaging
Cuff wrapper

Unit dimensions D x W x H (inches)
10.0 x 10.0 x 1.5

Unit weight (lbs)
2.4

Master carton type
Plain corrugated

Master carton dimensions D x W x H
10.5 x 20.0 x ?

Master carton weight (lbs)
?

Master carton case quantity
12

Master carton cube (cu. ft.)
1.2

UPC
661899 103574

**Custom Print Available,
Absolutely Free!
Allow 7 Extra Days For
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.

50ft Style #12 SPT-2 Flat Extension Cord



Our Style #12 SPT-2 Flat Extension Cords are designed for use in convention centers, exhibition halls and hotels for bringing portable power to trade show booths and displays.

FEATURES

- Soft drawn, annealed, bunch stranded 100% copper conductors offer maximum flexibility and amperage transmission.
- Low Profile jacket lays flat and out of the way for safety and appearance
- Color coded connectors help the user pull the right cord from inventory: 15ft. cords feature White ends; 25ft. cords feature Blue ends; and 50ft. cords feature Red ends.
- Heavy duty flexible jacket provides outstanding flexibility while being resistant to grease and grime.
- Our 15A-125V (NEMA 5-15) heavy duty plugs and connectors are molded on with large strain reliefs that prevent the ends from pulling away from the cord body.
- Jacket Color: Grey

WARNING: ⚠️ This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number
D14321150

Length
50'

Description
Style #12 SPT-2 Flat Extension Cord

Product line
Flat Extension Cords

Color
Grey

Gauge/Conductors
14/3

Wire type
SPT-2

Certifications
n/a

Electrical ratings
15A, 125V, 1875W

Product packaging
Cuff wrapper

Unit dimensions D x W x H (inches)
10.5 x 10.5 x 2.5

Unit weight (lbs)
4.8

Master carton type
Plain corrugated

Master carton dimensions D x W x H
10.5 x 20.0 x ?

Master carton weight (lbs)
?

Master carton case quantity
6

Master carton cube (cu. ft.)
0.9

UPC
661899 104318

**Custom Print Available,
Absolutely Free!
Allow 7 Extra Days For
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.


15ft 12/3 UL Flat Extension Cords



Approved for supplying temporary power in convention centers, tradeshows, audio-visual and exhibition events, our UL Listed 12/3 cord's parallel, low profile jacket lays flat and provides better safety underfoot than all standard round cords.

FEATURES

- Soft drawn, annealed, bunch stranded 100% copper conductors offer maximum flexibility and amperage transmission.
- Color coded connectors help the user pull the right cord from inventory: 15ft. cords feature Blue ends; 25ft. cords feature Red ends; and 50ft. cords feature Yellow ends.
- Heavy duty insulation and jacketing have operating temperatures from -35°C to +105°C. As a result, this cord remains extremely flexible, easy to handle, coil and store.
- Our 15A-125V (NEMA 5-15) heavy duty plugs and connectors are molded on with large strain reliefs that prevent the ends from pulling away from the cord body.
- Jacket Color: Black
- UL Listed for Convention Center and Tradeshow Use under the UL Category "Exhibition Display Units & Accessories".

WARNING:  This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number
D19005540

Length
15'

Description
12/3 Flat Convention Center Extension Cord

Product line
Flat Extension Cords

Color
Black

Gauge/Conductors
12/3

Wire type
Low Profile SPT-3

Certifications
UL, OSHA

Electrical ratings
15A, 125V, 1875W

Product packaging
Cuff Wrapper

Unit dimensions D x W x H (inches)
12.5 x 12.5 x 2.0

Unit weight (lbs)
2.8

Master carton type
Plain corrugated

Master carton dimensions D x W x H
9.0 x 19.0 x 9.0

Master carton weight (lbs)
49.7

Master carton case quantity
19

Master carton cube (cu. ft.)
0.9

UPC
661899 126075

**Custom Print Available,
Absolutely Free!
Allow 7 Extra Days For
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.


25ft 12/3 UL Flat Extension Cords



Approved for supplying temporary power in convention centers, tradeshows, audio-visual and exhibition events, our UL Listed 12/3 cord's parallel, low profile jacket lays flat and provides better safety underfoot than all standard round cords.

FEATURES

- Soft drawn, annealed, bunch stranded 100% copper conductors offer maximum flexibility and amperage transmission.
- Color coded connectors help the user pull the right cord from inventory: 15ft. cords feature Blue ends; 25ft. cords feature Red ends; and 50ft. cords feature Yellow ends.
- Heavy duty insulation and jacketing have operating temperatures from -35°C to +105°C. As a result, this cord remains extremely flexible, easy to handle, coil and store.
- Our 15A-125V (NEMA 5-15) heavy duty plugs and connectors are molded on with large strain reliefs that prevent the ends from pulling away from the cord body.
- Jacket Color: Black
- UL Listed for Convention Center and Tradeshow Use under the UL Category "Exhibition Display Units & Accessories".

WARNING:  This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number
D19005541

Length
25'

Description
12/3 Flat Convention Center Extension Cord

Product line
Flat Extension Cords

Color
Black

Gauge/Conductors
12/3

Wire type
Low Profile SPT-3

Certifications
UL, OSHA

Electrical ratings
15A, 125V, 1875W

Product packaging
Cuff Wrapper

Unit dimensions D x W x H (inches)
13.5 x 13.5 x 2.3

Unit weight (lbs)
4.1

Master carton type
Plain corrugated

Master carton dimensions D x W x H
12.5 x 22.5 x 10.0

Master carton weight (lbs)
48.6

Master carton case quantity
12

Master carton cube (cu. ft.)
1.6

UPC
661899 126082

**Custom Print Available,
Absolutely Free!
Allow 7 Extra Days For
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.

50ft 12/3 UL Flat Extension Cords



Approved for supplying temporary power in convention centers, tradeshows, audio-visual and exhibition events, our UL Listed 12/3 cord's parallel, low profile jacket lays flat and provides better safety underfoot than all standard round cords.

FEATURES

- Soft drawn, annealed, bunch stranded 100% copper conductors offer maximum flexibility and amperage transmission.
- Color coded connectors help the user pull the right cord from inventory: 15ft. cords feature Blue ends; 25ft. cords feature Red ends; and 50ft. cords feature Yellow ends.
- Heavy duty insulation and jacketing have operating temperatures from -35°C to +105°C. As a result, this cord remains extremely flexible, easy to handle, coil and store.
- Our 15A-125V (NEMA 5-15) heavy duty plugs and connectors are molded on with large strain reliefs that prevent the ends from pulling away from the cord body.
- Jacket Color: Black
- UL Listed for Convention Center and Tradeshow Use under the UL Category "Exhibition Display Units & Accessories".

WARNING: ⚠️ This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number
D19005542

Length
50'

Description
12/3 Flat Convention Center Extension Cord

Product line
Flat Extension Cords

Color
Black

Gauge/Conductors
12/3

Wire type
Low Profile SPT-3

Certifications
UL, OSHA

Electrical ratings
15A, 125V, 1875W

Product packaging
Cuff Wrapper

Unit dimensions D x W x H (inches)
14.0 x 14.0 x 2.8

Unit weight (lbs)
8.1

Master carton type
Plain corrugated

Master carton dimensions D x W x H
12.0 x 22.0 x 9.5

Master carton weight (lbs)
48.6

Master carton case quantity
6

Master carton cube (cu. ft.)
1.5

UPC
661899 126099

**Custom Print Available,
Absolutely Free!
Allow 7 Extra Days For
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.