

5ft 10/3 SJTW Lighted Triple Tap Generator Cords



Designed for use with most portable generators, our Generator Extension Cords extend portable power in an emergency, at the jobsite, and wherever regular power is needed. It converts an L14-30 Twistlock receptacle into (3) 5-15R household outlets. Our heavy duty, weather resistant coldweather jacket remains flexible in temperatures well below freezing.

FEATURES

- Each conductor of our 10/3 cords contain 104 strands of 30 gauge 100% pure copper wire.
- 4 or 3 prong twistlock male plugs connect to portable generators with an L14-30R (30A-125/250V) receptacle, providing immediate power through (3) lighted 5-15R (15A-125V) standard outlets.
- We use heavy duty molded on plugs and connectors that will not pull away from the cord body.
- Lighted triple outlet Power Check connector indicates the cord has power.
- Our weather resistant, heavy duty SJTW 300V coldweather jacket guarantees working flexibility in temperatures down to -40°F.
- Lengths: 5ft, 15ft & 25' (L14-30P)
- Jacket Color: Black
- UL Listed and cUL Approved for Canada

WARNING: ⚠ This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number
D13010005

Length
5'

Description
**10/3 SJTW Generator
Extension Cord**

Product line
Generator Extension Cord

Color
Black

Gauge/Conductors
10/3

Wire type
SJTW

Certifications
UL, cUL, OSHA

Electrical ratings
15A, 125V, 1875W

Product packaging
Cuff wrapper

Unit dimensions D x W x H (inches)
10.0 x 10.0 x 2.0

Unit weight (lbs)
1.9

Master carton type
Plain corrugated

Master carton dimensions D x W x H
12.0 x 33.0 x 9.5

Master carton weight (lbs)
47

Master carton case quantity
24

Master carton cube (cu. ft.)
2.2

UPC
661899 116052

**Custom Print Available,
Absolutely Free!
Allow 7 Extra Days For
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.


15ft 10/3 SJTW Lighted Triple Tap Generator Cords



Designed for use with most portable generators, our Generator Extension Cords extend portable power in an emergency, at the jobsite, and wherever regular power is needed. It converts an L14-30 Twistlock receptacle into (3) 5-15R household outlets. Our heavy duty, weather resistant coldweather jacket remains flexible in temperatures well below freezing.

FEATURES

- Each conductor of our 10/3 cords contain 104 strands of 30 gauge 100% pure copper wire.
- 4 or 3 prong twistlock male plugs connect to portable generators with an L14-30R (30A-125/250V) receptacle, providing immediate power through (3) lighted 5-15R (15A-125V) standard outlets.
- We use heavy duty molded on plugs and connectors that will not pull away from the cord body.
- Lighted triple outlet Power Check connector indicates the cord has power.
- Our weather resistant, heavy duty SJTW 300V coldweather jacket guarantees working flexibility in temperatures down to -40°F.
- Lengths: 5ft, 15ft & 25' (L14-30P)
- Jacket Color: Black
- UL Listed and cUL Approved for Canada

WARNING:  This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number
D13010015

Length
15'

Description
**10/3 SJTW Generator
Extension Cord**

Product line
Generator Extension Cord

Color
Black

Gauge/Conductors
10/3

Wire type
SJTW

Certifications
UL, cUL, OSHA

Electrical ratings
15A, 125V, 1875W

Product packaging
Cuff wrapper

Unit dimensions D x W x H (inches)
11.0 x 11.0 x 2.0

Unit weight (lbs)
4.2

Master carton type
Plain corrugated

Master carton dimensions D x W x H
12.0 x 22.0 x 6.5

Master carton weight (lbs)
26

Master carton case quantity
6

Master carton cube (cu. ft.)
1.0

UPC
661899 116069

**Custom Print Available,
Absolutely Free!
Allow 7 Extra Days For
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.


25ft 10/3 SJTW Lighted Triple Tap Generator Cords



Designed for use with most portable generators, our Generator Extension Cords extend portable power in an emergency, at the jobsite, and wherever regular power is needed. It converts an L14-30 Twistlock receptacle into (3) 5-15R household outlets. Our heavy duty, weather resistant coldweather jacket remains flexible in temperatures well below freezing.

FEATURES

- Each conductor of our 10/3 cords contain 104 strands of 30 gauge 100% pure copper wire.
- 4 or 3 prong twistlock male plugs connect to portable generators with an L14-30R (30A-125/250V) receptacle, providing immediate power through (3) lighted 5-15R (15A-125V) standard outlets.
- We use heavy duty molded on plugs and connectors that will not pull away from the cord body.
- Lighted triple outlet Power Check connector indicates the cord has power.
- Our weather resistant, heavy duty SJTW 300V coldweather jacket guarantees working flexibility in temperatures down to -40°F.
- Lengths: 5ft, 15ft & 25' (L14-30P)
- Jacket Color: Black
- UL Listed and cUL Approved for Canada

WARNING:  This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number
D13010025

Length
25'

Description
**10/3 SJTW Generator
Extension Cord**

Product line
Generator Extension Cord

Color
Black

Gauge/Conductors
10/3

Wire type
SJTW

Certifications
UL, cUL, OSHA

Electrical ratings
15A, 125V, 1875W

Product packaging
Cuff wrapper

Unit dimensions D x W x H (inches)
12.0 x 12.0 x 2.3

Unit weight (lbs)
6.5

Master carton type
Plain corrugated

Master carton dimensions D x W x H
12.5 x 23.0 x 7.0

Master carton weight (lbs)
40

Master carton case quantity
6

Master carton cube (cu. ft.)
1.2

UPC
661899 116076

**Custom Print Available,
Absolutely Free!
Allow 7 Extra Days For
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.


25ft 10/4 SJTW Power Transfer Generator Cord



Our Century® Power Transfer Generator Cord is designed to deliver temporary power from the generator to the transfer switch or power inlet box connected to the main power panel of the building. This link provides immediate power during an emergency or power outage.

FEATURES

- Designed for use with portable generators with L14-30R receptacles.
- Manufactured to 10/4 AWG (American Wire Gauge) specifications.
- Each conductor contains 104 strands of 30 gauge 100% pure copper wire.
- We use heavy duty molded on 30A-125/250V (NEMA L14-30) Twistlock plugs & connectors guaranteed not to pull away from the cord body.
- Our weather resistant, heavy duty SJTW 300V coldweather jacket guarantees working flexibility in temperatures down to -40°F.
- Lengths: 25ft & 50ft
- Color: Black
- UL Listed and cUL Approved for Canada

WARNING:  This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number
D13011025

Length
25'

Description
**10/4 SJTW Generator
Extension Cord**

Product line
Generator Extension Cord

Color
Black

Gauge/Conductors
10/4

Wire type
SJTW

Certifications
UL, cUL, OSHA

Electrical ratings
30A, 125/250V

Product packaging
Cuff wrapper

Unit dimensions D x W x H (inches)
12.0 x 12.0 x 2.5

Unit weight (lbs)
7.8

Master carton type
Plain corrugated

Master carton dimensions D x W x H
13.0 x 24.0 x 8.5

Master carton weight (lbs)
49

Master carton case quantity
6

Master carton cube (cu. ft.)
1.5

UPC
661899 116083

**Custom Print Available,
Absolutely Free!
Allow 7 Extra Days For
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.


50ft 10/4 SJTW Power Transfer Generator Cord



Our Century® Power Transfer Generator Cord is designed to deliver temporary power from the generator to the transfer switch or power inlet box connected to the main power panel of the building. This link provides immediate power during an emergency or power outage.

FEATURES

- Designed for use with portable generators with L14-30R receptacles.
- Manufactured to 10/4 AWG (American Wire Gauge) specifications.
- Each conductor contains 104 strands of 30 gauge 100% pure copper wire.
- We use heavy duty molded on 30A-125/250V (NEMA L14-30) Twistlock plugs & connectors guaranteed not to pull away from the cord body.
- Our weather resistant, heavy duty SJTW 300V coldweather jacket guarantees working flexibility in temperatures down to -40°F.
- Lengths: 25ft & 50ft
- Color: Black
- UL Listed and cUL Approved for Canada

WARNING:  This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number
D13011050

Length
50'

Description
**10/4 SJTW Generator
Extension Cord**

Product line
Generator Extension Cord

Color
Black

Gauge/Conductors
10/4

Wire type
SJTW

Certifications
UL, cUL, OSHA

Electrical ratings
30A, 125/250V

Product packaging
Cuff wrapper

Unit dimensions D x W x H (inches)
13.0 x 13.0 x 3.5

Unit weight (lbs)
15.0

Master carton type
Plain corrugated

Master carton dimensions D x W x H
15.5 x 13.0 x 14.0

Master carton weight (lbs)
61

Master carton case quantity
4

Master carton cube (cu. ft.)
1.6

UPC
661899 123623

**Custom Print Available,
Absolutely Free!
Allow 7 Extra Days For
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.

5ft 10/3 SJTW Lighted Triple Tap Generator Cords



Designed for use with most portable generators, our Generator Extension Cords extend portable power in an emergency, at the jobsite, and wherever regular power is needed. It converts an L5-30 Twistlock receptacle into (3) 5-15R household outlets. Our heavy duty, weather resistant coldweather jacket remains flexible in temperatures well below freezing.

FEATURES

- Each conductor of our 10/3 cords contain 104 strands of 30 gauge 100% pure copper wire.
- 3 prong twistlock male plugs connect to portable generators with an L5-30R (30A-125V) receptacles, providing immediate power through (3) lighted 5-15R (15A-125V) standard outlets.
- We use heavy duty molded on plugs and connectors that will not pull away from the cord body.
- Lighted triple outlet Power Check connector indicates the cord has power.
- Our weather resistant, heavy duty SJTW 300V coldweather jacket guarantees working flexibility in temperatures down to -40°F.
- Lengths: 5ft & 15ft (L5-30P)
- Jacket Color: Black
- UL Listed and cUL Approved for Canada

WARNING: ⚠ This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number
D13015305

Length
5'

Description
**10/3 SJTW Generator
Extension Cord**

Product line
Generator Extension Cord

Color
Black

Gauge/Conductors
10/3

Wire type
SJTW

Certifications
UL, cUL, OSHA

Electrical ratings
30A, 125V, 3750W

Product packaging
Cuff wrapper

Unit dimensions D x W x H (inches)
9.0 x 9.0 x 2.0

Unit weight (lbs)
1.85

Master carton type
Plain corrugated

Master carton dimensions D x W x H
12.0 x 33.0 x 10.0

Master carton weight (lbs)
46

Master carton case quantity
24

Master carton cube (cu. ft.)
2.3

UPC
661899 116090

**Custom Print Available,
Absolutely Free!
Allow 7 Extra Days For
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.

15ft 10/3 SJTW Lighted Triple Tap Generator Cords



Designed for use with most portable generators, our Generator Extension Cords extend portable power in an emergency, at the jobsite, and wherever regular power is needed. It converts an L5-30 Twistlock receptacle into (3) 5-15R household outlets. Our heavy duty, weather resistant coldweather jacket remains flexible in temperatures well below freezing.

FEATURES

- Each conductor of our 10/3 cords contain 104 strands of 30 gauge 100% pure copper wire.
- 3 prong twistlock male plugs connect to portable generators with an L5-30R (30A-125V) receptacles, providing immediate power through (3) lighted 5-15R (15A-125V) standard outlets.
- We use heavy duty molded on plugs and connectors that will not pull away from the cord body.
- Lighted triple outlet Power Check connector indicates the cord has power.
- Our weather resistant, heavy duty SJTW 300V coldweather jacket guarantees working flexibility in temperatures down to -40°F.
- Lengths: 5ft & 15ft (L5-30P)
- Jacket Color: Black
- UL Listed and cUL Approved for Canada

WARNING: ⚠ This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number
D13015315

Length
15'

Description
**10/3 SJTW Generator
Extension Cord**

Product line
Generator Extension Cord

Color
Black

Gauge/Conductors
10/3

Wire type
SJTW

Certifications
UL, cUL, OSHA

Electrical ratings
30A, 125V, 3750W

Product packaging
Cuff wrapper

Unit dimensions D x W x H (inches)
11.0 x 11.0 x 2.0

Unit weight (lbs)
4.0

Master carton type
Plain corrugated

Master carton dimensions D x W x H
11.5 x 11.5 x 9.0

Master carton weight (lbs)
17

Master carton case quantity
4

Master carton cube (cu. ft.)
0.7

UPC
661899 118353

**Custom Print Available,
Absolutely Free!
Allow 7 Extra Days For
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.