



**ProGlo®**

**25ft 12/3 SJTW**

**-40°F Coldweather Triple Tap  
Extension Cords with "CGM"**



This triple tap heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

## FEATURES

- Manufactured to 12/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 65 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- Lighted amber Power Check plug
- Lighted green Triple Tap Ground Check connector provides (3) additional power outlets when needed
- Jacket colors: Orange, Pink, Green, Blue, Red, Purple, Black and Yellow
- Lengths: 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

**WARNING:** ⚠ This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Part number  
**D17222025**

Length  
**25'**

Description  
**12/3 SJTW Triple Tap  
Extension Cord with CGM**

Product line  
**Pro Glo Extension Cord**

Color  
**Pro Glo Orange**

Gauge/Conductors  
**12/3**

Wire type  
**SJTW**

Certifications  
**UL, cUL, OSHA**

Electrical ratings  
**15A, 125V, 1875W**

Product packaging  
**Cuff wrapper**

Unit dimensions D x W x H (inches)  
**11.5 x 11.5 x 1.5**

Unit weight (lbs)  
**3.9**

Master carton type  
**Plain corrugated**

Master carton dimensions D x W x H  
**11.5 x 22.0 x 11.0**

Master carton weight (lbs)  
**47**

Master carton case quantity  
**12**

Master carton cube (cu. ft.)  
**1.6**

UPC  
**661899 106381**

**Custom Print Available,  
Absolutely Free!  
Allow 7 Extra Days For  
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.



**ProGlo®**

**50ft 12/3 SJTW**

## **-40°F Coldweather Triple Tap Extension Cords with "CGM"**



This triple tap heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

### **FEATURES**

- Manufactured to 12/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 65 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- Lighted amber Power Check plug
- Lighted green Triple Tap Ground Check connector provides (3) additional power outlets when needed
- Jacket colors: Orange, Pink, Green, Blue, Red, Purple, Black and Yellow
- Lengths: 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

**WARNING:** ⚠ This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Part number  
**D17222050**

Length  
**50'**

Description  
**12/3 SJTW Triple Tap  
Extension Cord with CGM**

Product line  
**Pro Glo Extension Cord**

Color  
**Pro Glo Orange**

Gauge/Conductors  
**12/3**

Wire type  
**SJTW**

Certifications  
**UL, cUL, OSHA**

Electrical ratings  
**15A, 125V, 1875W**

Product packaging  
**Cuff wrapper**

Unit dimensions D x W x H (inches)  
**12.5 x 12.5 x 2.5**

Unit weight (lbs)  
**7.2**

Master carton type  
**Plain corrugated**

Master carton dimensions D x W x H  
**13.0 x 13.0 x 12.0**

Master carton weight (lbs)  
**46**

Master carton case quantity  
**6**

Master carton cube (cu. ft.)  
**1.2**

UPC  
**661899 106398**

**Custom Print Available,  
Absolutely Free!  
Allow 7 Extra Days For  
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.



**ProGlo®**

**100ft 12/3 SJTW**

## **-40°F Coldweather Triple Tap Extension Cords with "CGM"**



This triple tap heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

### **FEATURES**

- Manufactured to 12/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 65 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- Lighted amber Power Check plug
- Lighted green Triple Tap Ground Check connector provides (3) additional power outlets when needed
- Jacket colors: Orange, Pink, Green, Blue, Red, Purple, Black and Yellow
- Lengths: 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

**WARNING:** ⚠ This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Part number  
**D17222100**

Length  
**100'**

Description  
**12/3 SJTW Triple Tap  
Extension Cord with CGM**

Product line  
**Pro Glo Extension Cord**

Color  
**Pro Glo Orange**

Gauge/Conductors  
**12/3**

Wire type  
**SJTW**

Certifications  
**UL, cUL, OSHA**

Electrical ratings  
**15A, 125V, 1875W**

Product packaging  
**Cuff wrapper**

Unit dimensions D x W x H (inches)  
**14.5 x 14.5 x 3.0**

Unit weight (lbs)  
**13.8**

Master carton type  
**Plain corrugated**

Master carton dimensions D x W x H  
**15.0 x 15.0 x 12.5**

Master carton weight (lbs)  
**55**

Master carton case quantity  
**4**

Master carton cube (cu. ft.)  
**1.6**

UPC  
**661899 106404**

**Custom Print Available,  
Absolutely Free!  
Allow 7 Extra Days For  
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.



**ProGlo®**

**25ft 12/3 SJTW**

**-40°F Coldweather Triple Tap  
Extension Cords with "CGM"**



This triple tap heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

## FEATURES

- Manufactured to 12/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 65 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- Lighted amber Power Check plug
- Lighted green Triple Tap Ground Check connector provides (3) additional power outlets when needed
- Jacket colors: Orange, Pink, Green, Blue, Red, Purple, Black and Yellow
- Lengths: 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

**WARNING:** ⚠ This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Part number  
**D17223025**

Length  
**25'**

Description  
**12/3 SJTW Triple Tap  
Extension Cord with CGM**

Product line  
**Pro Glo Extension Cord**

Color  
**Pro Glo Yellow**

Gauge/Conductors  
**12/3**

Wire type  
**SJTW**

Certifications  
**UL, cUL, OSHA**

Electrical ratings  
**15A, 125V, 1875W**

Product packaging  
**Cuff wrapper**

Unit dimensions D x W x H (inches)  
**11.5 x 11.5 x 1.5**

Unit weight (lbs)  
**3.9**

Master carton type  
**Plain corrugated**

Master carton dimensions D x W x H  
**11.5 x 22.0 x 11.0**

Master carton weight (lbs)  
**47**

Master carton case quantity  
**12**

Master carton cube (cu. ft.)  
**1.6**

UPC  
**661899 106411**

**Custom Print Available,  
Absolutely Free!  
Allow 7 Extra Days For  
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.





**ProGlo®**

**50ft 12/3 SJTW**

**-40°F Coldweather Triple Tap  
Extension Cords with "CGM"**



This triple tap heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

## FEATURES

- Manufactured to 12/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 65 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not pull away from the cord body
- Lighted amber Power Check plug
- Lighted green Triple Tap Ground Check connector provides (3) additional power outlets when needed
- Jacket colors: Orange, Pink, Green, Blue, Red, Purple, Black and Yellow
- Lengths: 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

**WARNING:** ⚠ This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Part number  
**D17223050**

Length  
**50'**

Description  
**12/3 SJTW Triple Tap  
Extension Cord with CGM**

Product line  
**Pro Glo Extension Cord**

Color  
**Pro Glo Yellow**

Gauge/Conductors  
**12/3**

Wire type  
**SJTW**

Certifications  
**UL, cUL, OSHA**

Electrical ratings  
**15A, 125V, 1875W**

Product packaging  
**Cuff wrapper**

Unit dimensions D x W x H (inches)  
**12.5 x 12.5 x 2.5**

Unit weight (lbs)  
**7.2**

Master carton type  
**Plain corrugated**

Master carton dimensions D x W x H  
**13.0 x 13.0 x 12.0**

Master carton weight (lbs)  
**46**

Master carton case quantity  
**6**

Master carton cube (cu. ft.)  
**1.2**

UPC  
**661899 106428**

**Custom Print Available,  
Absolutely Free!  
Allow 7 Extra Days For  
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.



**ProGlo®**

**100ft 12/3 SJTW**

## **-40°F Coldweather Triple Tap Extension Cords with "CGM"**



This triple tap heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

### **FEATURES**

- Manufactured to 12/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 65 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- Lighted amber Power Check plug
- Lighted green Triple Tap Ground Check connector provides (3) additional power outlets when needed
- Jacket colors: Orange, Pink, Green, Blue, Red, Purple, Black and Yellow
- Lengths: 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

**WARNING:** ⚠ This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Part number  
**D17223100**

Length  
**100'**

Description  
**12/3 SJTW Triple Tap  
Extension Cord with CGM**

Product line  
**Pro Glo Extension Cord**

Color  
**Pro Glo Yellow**

Gauge/Conductors  
**12/3**

Wire type  
**SJTW**

Certifications  
**UL, cUL, OSHA**

Electrical ratings  
**15A, 125V, 1875W**

Product packaging  
**Cuff wrapper**

Unit dimensions D x W x H (inches)  
**14.5 x 14.5 x 3.0**

Unit weight (lbs)  
**13.8**

Master carton type  
**Plain corrugated**

Master carton dimensions D x W x H  
**15.0 x 15.0 x 12.5**

Master carton weight (lbs)  
**55**

Master carton case quantity  
**4**

Master carton cube (cu. ft.)  
**1.6**

UPC  
**661899 106435**

**Custom Print Available,  
Absolutely Free!  
Allow 7 Extra Days For  
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.



**ProGlo®**

**25ft 12/3 SJTW**

## **-40°F Coldweather Triple Tap Extension Cords with "CGM"**



This triple tap heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

### **FEATURES**

- Manufactured to 12/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 65 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- Lighted amber Power Check plug
- Lighted green Triple Tap Ground Check connector provides (3) additional power outlets when needed
- Jacket colors: Orange, Pink, Green, Blue, Red, Purple, Black and Yellow
- Lengths: 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

**WARNING:** ⚠ This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Part number  
**D17224025**

Length  
**25'**

Description  
**12/3 SJTW Triple Tap  
Extension Cord with CGM**

Product line  
**Pro Glo Extension Cord**

Color  
**Pro Glo Green**

Gauge/Conductors  
**12/3**

Wire type  
**SJTW**

Certifications  
**UL, cUL, OSHA**

Electrical ratings  
**15A, 125V, 1875W**

Product packaging  
**Cuff wrapper**

Unit dimensions D x W x H (inches)  
**11.5 x 11.5 x 1.5**

Unit weight (lbs)  
**3.9**

Master carton type  
**Plain corrugated**

Master carton dimensions D x W x H  
**11.5 x 22.0 x 11.0**

Master carton weight (lbs)  
**47**

Master carton case quantity  
**12**

Master carton cube (cu. ft.)  
**1.6**

UPC  
**661899 106442**

**Custom Print Available,  
Absolutely Free!  
Allow 7 Extra Days For  
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.



**ProGlo®**

**50ft 12/3 SJTW**

**-40°F Coldweather Triple Tap  
Extension Cords with "CGM"**



This triple tap heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

## FEATURES

- Manufactured to 12/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 65 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- Lighted amber Power Check plug
- Lighted green Triple Tap Ground Check connector provides (3) additional power outlets when needed
- Jacket colors: Orange, Pink, Green, Blue, Red, Purple, Black and Yellow
- Lengths: 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

**WARNING:** ⚠ This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Part number  
**D17224050**

Length  
**50'**

Description  
**12/3 SJTW Triple Tap  
Extension Cord with CGM**

Product line  
**Pro Glo Extension Cord**

Color  
**Pro Glo Green**

Gauge/Conductors  
**12/3**

Wire type  
**SJTW**

Certifications  
**UL, cUL, OSHA**

Electrical ratings  
**15A, 125V, 1875W**

Product packaging  
**Cuff wrapper**

Unit dimensions D x W x H (inches)  
**12.5 x 12.5 x 2.5**

Unit weight (lbs)  
**7.2**

Master carton type  
**Plain corrugated**

Master carton dimensions D x W x H  
**13.0 x 13.0 x 12.0**

Master carton weight (lbs)  
**46**

Master carton case quantity  
**6**

Master carton cube (cu. ft.)  
**1.2**

UPC  
**661899 106459**

**Custom Print Available,  
Absolutely Free!  
Allow 7 Extra Days For  
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.





**ProGlo®**

**100ft 12/3 SJTW**

## **-40°F Coldweather Triple Tap Extension Cords with "CGM"**



This triple tap heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

### **FEATURES**

- Manufactured to 12/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 65 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- Lighted amber Power Check plug
- Lighted green Triple Tap Ground Check connector provides (3) additional power outlets when needed
- Jacket colors: Orange, Pink, Green, Blue, Red, Purple, Black and Yellow
- Lengths: 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

**WARNING:** ⚠ This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Part number  
**D17224100**

Length  
**100'**

Description  
**12/3 SJTW Triple Tap  
Extension Cord with CGM**

Product line  
**Pro Glo Extension Cord**

Color  
**Pro Glo Green**

Gauge/Conductors  
**12/3**

Wire type  
**SJTW**

Certifications  
**UL, cUL, OSHA**

Electrical ratings  
**15A, 125V, 1875W**

Product packaging  
**Cuff wrapper**

Unit dimensions D x W x H (inches)  
**14.5 x 14.5 x 3.0**

Unit weight (lbs)  
**13.8**

Master carton type  
**Plain corrugated**

Master carton dimensions D x W x H  
**15.0 x 15.0 x 12.5**

Master carton weight (lbs)  
**55**

Master carton case quantity  
**4**

Master carton cube (cu. ft.)  
**1.6**

UPC  
**661899 106466**

**Custom Print Available,  
Absolutely Free!  
Allow 7 Extra Days For  
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.



**ProGlo®**

**25ft 12/3 SJTW**

## **-40°F Coldweather Triple Tap Extension Cords with "CGM"**



This triple tap heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

### **FEATURES**

- Manufactured to 12/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 65 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- Lighted amber Power Check plug
- Lighted green Triple Tap Ground Check connector provides (3) additional power outlets when needed
- Jacket colors: Orange, Pink, Green, Blue, Red, Purple, Black and Yellow
- Lengths: 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

**WARNING:** ⚠ This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Part number  
**D17225025**

Length  
**25'**

Description  
**12/3 SJTW Triple Tap Extension Cord with CGM**

Product line  
**Pro Glo Extension Cord**

Color  
**Pro Glo Pink**

Gauge/Conductors  
**12/3**

Wire type  
**SJTW**

Certifications  
**UL, cUL, OSHA**

Electrical ratings  
**15A, 125V, 1875W**

Product packaging  
**Cuff wrapper**

Unit dimensions D x W x H (inches)  
**11.5 x 11.5 x 1.5**

Unit weight (lbs)  
**3.9**

Master carton type  
**Plain corrugated**

Master carton dimensions D x W x H  
**11.5 x 22.0 x 11.0**

Master carton weight (lbs)  
**47**

Master carton case quantity  
**12**

Master carton cube (cu. ft.)  
**1.6**

UPC  
**661899 106473**

**Custom Print Available,  
Absolutely Free!  
Allow 7 Extra Days For  
Delivery.**


We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.



This triple tap heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

## FEATURES

- Manufactured to 12/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 65 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- Lighted amber Power Check plug
- Lighted green Triple Tap Ground Check connector provides (3) additional power outlets when needed
- Jacket colors: Orange, Pink, Green, Blue, Red, Purple, Black and Yellow
- Lengths: 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

**WARNING:**  This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Part number  
**D17225050**

Length  
**50'**

Description  
**12/3 SJTW Triple Tap  
Extension Cord with CGM**

Product line  
**Pro Glo Extension Cord**

Color  
**Pro Glo Pink**

Gauge/Conductors  
**12/3**

Wire type  
**SJTW**

Certifications  
**UL, cUL, OSHA**

Electrical ratings  
**15A, 125V, 1875W**

Product packaging  
**Cuff wrapper**

Unit dimensions D x W x H (inches)  
**12.5 x 12.5 x 2.5**

Unit weight (lbs)  
**7.2**

Master carton type  
**Plain corrugated**

Master carton dimensions D x W x H  
**13.0 x 13.0 x 12.0**

Master carton weight (lbs)  
**46**

Master carton case quantity  
**6**

Master carton cube (cu. ft.)  
**1.2**

UPC  
**661899 106480**

**Custom Print Available,  
Absolutely Free!  
Allow 7 Extra Days For  
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.



**ProGlo®**

**100ft 12/3 SJTW**

## **-40°F Coldweather Triple Tap Extension Cords with "CGM"**



This triple tap heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

### **FEATURES**

- Manufactured to 12/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 65 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- Lighted amber Power Check plug
- Lighted green Triple Tap Ground Check connector provides (3) additional power outlets when needed
- Jacket colors: Orange, Pink, Green, Blue, Red, Purple, Black and Yellow
- Lengths: 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

**WARNING:** ⚠ This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Part number  
**D17225100**

Length  
**100'**

Description  
**12/3 SJTW Triple Tap  
Extension Cord with CGM**

Product line  
**Pro Glo Extension Cord**

Color  
**Pro Glo Pink**

Gauge/Conductors  
**12/3**

Wire type  
**SJTW**

Certifications  
**UL, cUL, OSHA**

Electrical ratings  
**15A, 125V, 1875W**

Product packaging  
**Cuff wrapper**

Unit dimensions D x W x H (inches)  
**14.5 x 14.5 x 3.0**

Unit weight (lbs)  
**13.8**

Master carton type  
**Plain corrugated**

Master carton dimensions D x W x H  
**15.0 x 15.0 x 12.5**

Master carton weight (lbs)  
**55**

Master carton case quantity  
**4**

Master carton cube (cu. ft.)  
**1.6**

UPC  
**661899 106497**

**Custom Print Available,  
Absolutely Free!  
Allow 7 Extra Days For  
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.





**ProGlo®**

**25ft 12/3 SJTW**

## **-40°F Coldweather Triple Tap Extension Cords with "CGM"**



This triple tap heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

### **FEATURES**

- Manufactured to 12/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 65 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- Lighted amber Power Check plug
- Lighted green Triple Tap Ground Check connector provides (3) additional power outlets when needed
- Jacket colors: Orange, Pink, Green, Blue, Red, Purple, Black and Yellow
- Lengths: 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

**WARNING:** ⚠ This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Part number  
**D17226025**

Length  
**25'**

Description  
**12/3 SJTW Triple Tap Extension Cord with CGM**

Product line  
**Pro Glo Extension Cord**

Color  
**Pro Glo Blue**

Gauge/Conductors  
**12/3**

Wire type  
**SJTW**

Certifications  
**UL, cUL, OSHA**

Electrical ratings  
**15A, 125V, 1875W**

Product packaging  
**Cuff wrapper**

Unit dimensions D x W x H (inches)  
**11.5 x 11.5 x 1.5**

Unit weight (lbs)  
**3.9**

Master carton type  
**Plain corrugated**

Master carton dimensions D x W x H  
**11.5 x 22.0 x 11.0**

Master carton weight (lbs)  
**47**

Master carton case quantity  
**12**

Master carton cube (cu. ft.)  
**1.6**

UPC  
**661899 106503**

**Custom Print Available,  
Absolutely Free!  
Allow 7 Extra Days For  
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.



**ProGlo®**

**50ft 12/3 SJTW**

**-40°F Coldweather Triple Tap  
Extension Cords with "CGM"**



This triple tap heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

## FEATURES

- Manufactured to 12/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 65 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- Lighted amber Power Check plug
- Lighted green Triple Tap Ground Check connector provides (3) additional power outlets when needed
- Jacket colors: Orange, Pink, Green, Blue, Red, Purple, Black and Yellow
- Lengths: 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

**WARNING:** ⚠ This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Part number  
**D17226050**

Length  
**50'**

Description  
**12/3 SJTW Triple Tap  
Extension Cord with CGM**

Product line  
**Pro Glo Extension Cord**

Color  
**Pro Glo Blue**

Gauge/Conductors  
**12/3**

Wire type  
**SJTW**

Certifications  
**UL, cUL, OSHA**

Electrical ratings  
**15A, 125V, 1875W**

Product packaging  
**Cuff wrapper**

Unit dimensions D x W x H (inches)  
**12.5 x 12.5 x 2.5**

Unit weight (lbs)  
**7.2**

Master carton type  
**Plain corrugated**

Master carton dimensions D x W x H  
**13.0 x 13.0 x 12.0**

Master carton weight (lbs)  
**46**

Master carton case quantity  
**6**

Master carton cube (cu. ft.)  
**1.2**

UPC  
**661899 106510**

**Custom Print Available,  
Absolutely Free!  
Allow 7 Extra Days For  
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.



**ProGlo®**

**100ft 12/3 SJTW**

## **-40°F Coldweather Triple Tap Extension Cords with "CGM"**



This triple tap heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

### **FEATURES**

- Manufactured to 12/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 65 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- Lighted amber Power Check plug
- Lighted green Triple Tap Ground Check connector provides (3) additional power outlets when needed
- Jacket colors: Orange, Pink, Green, Blue, Red, Purple, Black and Yellow
- Lengths: 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

**WARNING:** ⚠ This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Part number  
**D17226100**

Length  
**100'**

Description  
**12/3 SJTW Triple Tap Extension Cord with CGM**

Product line  
**Pro Glo Extension Cord**

Color  
**Pro Glo Blue**

Gauge/Conductors  
**12/3**

Wire type  
**SJTW**

Certifications  
**UL, cUL, OSHA**

Electrical ratings  
**15A, 125V, 1875W**

Product packaging  
**Cuff wrapper**

Unit dimensions D x W x H (inches)  
**14.5 x 14.5 x 3.0**

Unit weight (lbs)  
**13.8**

Master carton type  
**Plain corrugated**

Master carton dimensions D x W x H  
**15.0 x 15.0 x 12.5**

Master carton weight (lbs)  
**55**

Master carton case quantity  
**4**

Master carton cube (cu. ft.)  
**1.6**

UPC  
**661899 106527**

**Custom Print Available,  
Absolutely Free!  
Allow 7 Extra Days For  
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.



**ProGlo®**

**100ft 12/3 SJTW**

## **-40°F Coldweather Triple Tap Extension Cords with "CGM"**



This triple tap heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

### **FEATURES**

- Manufactured to 12/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 65 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not pull away from the cord body
- Lighted amber Power Check plug
- Lighted green Triple Tap Ground Check connector provides (3) additional power outlets when needed
- Jacket colors: Orange, Pink, Green, Blue, Red, Purple, Black and Yellow
- Lengths: 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

**WARNING:** ⚠ This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Part number  
**D17227100**

Length  
**100'**

Description  
**12/3 SJTW Triple Tap  
Extension Cord with CGM**

Product line  
**Pro Glo Extension Cord**

Color  
**Pro Glo Red**

Gauge/Conductors  
**12/3**

Wire type  
**SJTW**

Certifications  
**UL, cUL, OSHA**

Electrical ratings  
**15A, 125V, 1875W**

Product packaging  
**Cuff wrapper**

Unit dimensions D x W x H (inches)  
**14.5 x 14.5 x 3.0**

Unit weight (lbs)  
**13.8**

Master carton type  
**Plain corrugated**

Master carton dimensions D x W x H  
**15.0 x 15.0 x 12.5**

Master carton weight (lbs)  
**55**

Master carton case quantity  
**4**

Master carton cube (cu. ft.)  
**1.6**

UPC  
**661899 107555**

**Custom Print Available,  
Absolutely Free!  
Allow 7 Extra Days For  
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.





**ProGlo®**

**25ft 12/3 SJTW**

## **-40°F Coldweather Triple Tap Extension Cords with "CGM"**



This triple tap heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

### **FEATURES**

- Manufactured to 12/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 65 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- Lighted amber Power Check plug
- Lighted green Triple Tap Ground Check connector provides (3) additional power outlets when needed
- Jacket colors: Orange, Pink, Green, Blue, Red, Purple, Black and Yellow
- Lengths: 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

**WARNING:** ⚠ This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Part number  
**D17228025**

Length  
**25'**

Description  
**12/3 SJTW Triple Tap Extension Cord with CGM**

Product line  
**Pro Glo Extension Cord**

Color  
**Pro Glo Black**

Gauge/Conductors  
**12/3**

Wire type  
**SJTW**

Certifications  
**UL, cUL, OSHA**

Electrical ratings  
**15A, 125V, 1875W**

Product packaging  
**Cuff wrapper**

Unit dimensions D x W x H (inches)  
**11.5 x 11.5 x 1.5**

Unit weight (lbs)  
**3.9**

Master carton type  
**Plain corrugated**

Master carton dimensions D x W x H  
**11.5 x 22.0 x 11.0**

Master carton weight (lbs)  
**47**

Master carton case quantity  
**12**

Master carton cube (cu. ft.)  
**1.6**

UPC  
**661899 108095**

**Custom Print Available,  
Absolutely Free!  
Allow 7 Extra Days For  
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.



**ProGlo®**

**50ft 12/3 SJTW**

**-40°F Coldweather Triple Tap  
Extension Cords with "CGM"**



This triple tap heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

## FEATURES

- Manufactured to 12/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 65 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- Lighted amber Power Check plug
- Lighted green Triple Tap Ground Check connector provides (3) additional power outlets when needed
- Jacket colors: Orange, Pink, Green, Blue, Red, Purple, Black and Yellow
- Lengths: 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

**WARNING:** ⚠ This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Part number  
**D17228050**

Length  
**50'**

Description  
**12/3 SJTW Triple Tap  
Extension Cord with CGM**

Product line  
**Pro Glo Extension Cord**

Color  
**Pro Glo Black**

Gauge/Conductors  
**12/3**

Wire type  
**SJTW**

Certifications  
**UL, cUL, OSHA**

Electrical ratings  
**15A, 125V, 1875W**

Product packaging  
**Cuff wrapper**

Unit dimensions D x W x H (inches)  
**12.5 x 12.5 x 2.5**

Unit weight (lbs)  
**7.2**

Master carton type  
**Plain corrugated**

Master carton dimensions D x W x H  
**13.0 x 13.0 x 12.0**

Master carton weight (lbs)  
**46**

Master carton case quantity  
**6**

Master carton cube (cu. ft.)  
**1.2**

UPC  
**661899 108101**

**Custom Print Available,  
Absolutely Free!  
Allow 7 Extra Days For  
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.



**ProGlo®**

**100ft 12/3 SJTW**

## **-40°F Coldweather Triple Tap Extension Cords with "CGM"**



This triple tap heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

### **FEATURES**

- Manufactured to 12/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 65 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not pull away from the cord body
- Lighted amber Power Check plug
- Lighted green Triple Tap Ground Check connector provides (3) additional power outlets when needed
- Jacket colors: Orange, Pink, Green, Blue, Red, Purple, Black and Yellow
- Lengths: 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

**WARNING:** ⚠ This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Part number  
**D17228100**

Length  
**100'**

Description  
**12/3 SJTW Triple Tap  
Extension Cord with CGM**

Product line  
**Pro Glo Extension Cord**

Color  
**Pro Glo Black**

Gauge/Conductors  
**12/3**

Wire type  
**SJTW**

Certifications  
**UL, cUL, OSHA**

Electrical ratings  
**15A, 125V, 1875W**

Product packaging  
**Cuff wrapper**

Unit dimensions D x W x H (inches)  
**14.5 x 14.5 x 3.0**

Unit weight (lbs)  
**13.8**

Master carton type  
**Plain corrugated**

Master carton dimensions D x W x H  
**15.0 x 15.0 x 12.5**

Master carton weight (lbs)  
**55**

Master carton case quantity  
**4**

Master carton cube (cu. ft.)  
**1.6**

UPC  
**661899 108118**

**Custom Print Available,  
Absolutely Free!  
Allow 7 Extra Days For  
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.



**ProGlo®**

**25ft 12/3 SJTW**

## **-40°F Coldweather Triple Tap Extension Cords with "CGM"**



This triple tap heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

### **FEATURES**

- Manufactured to 12/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 65 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- Lighted amber Power Check plug
- Lighted green Triple Tap Ground Check connector provides (3) additional power outlets when needed
- Jacket colors: Orange, Pink, Green, Blue, Red, Purple, Black and Yellow
- Lengths: 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

**WARNING:** ⚠ This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Part number  
**D17229025**

Length  
**25'**

Description  
**12/3 SJTW Triple Tap  
Extension Cord with CGM**

Product line  
**Pro Glo Extension Cord**

Color  
**Pro Glo Purple**

Gauge/Conductors  
**12/3**

Wire type  
**SJTW**

Certifications  
**UL, cUL, OSHA**

Electrical ratings  
**15A, 125V, 1875W**

Product packaging  
**Cuff wrapper**

Unit dimensions D x W x H (inches)  
**11.5 x 11.5 x 1.5**

Unit weight (lbs)  
**3.9**

Master carton type  
**Plain corrugated**

Master carton dimensions D x W x H  
**11.5 x 22.0 x 11.0**

Master carton weight (lbs)  
**47**

Master carton case quantity  
**12**

Master carton cube (cu. ft.)  
**1.6**

UPC  
**661899 108125**

**Custom Print Available,  
Absolutely Free!  
Allow 7 Extra Days For  
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.






This triple tap heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

## FEATURES

- Manufactured to 12/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 65 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- Lighted amber Power Check plug
- Lighted green Triple Tap Ground Check connector provides (3) additional power outlets when needed
- Jacket colors: Orange, Pink, Green, Blue, Red, Purple, Black and Yellow
- Lengths: 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

**WARNING:**  This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Part number  
**D17229050**

Length  
**50'**

Description  
**12/3 SJTW Triple Tap  
Extension Cord with CGM**

Product line  
**Pro Glo Extension Cord**

Color  
**Pro Glo Purple**

Gauge/Conductors  
**12/3**

Wire type  
**SJTW**

Certifications  
**UL, cUL, OSHA**

Electrical ratings  
**15A, 125V, 1875W**

Product packaging  
**Cuff wrapper**

Unit dimensions D x W x H (inches)  
**12.5 x 12.5 x 2.5**

Unit weight (lbs)  
**7.2**

Master carton type  
**Plain corrugated**

Master carton dimensions D x W x H  
**13.0 x 13.0 x 12.0**

Master carton weight (lbs)  
**46**

Master carton case quantity  
**6**

Master carton cube (cu. ft.)  
**1.2**

UPC  
**661899 108132**

**Custom Print Available,  
Absolutely Free!  
Allow 7 Extra Days For  
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.



**ProGlo®**

**100ft 12/3 SJTW**

## **-40°F Coldweather Triple Tap Extension Cords with "CGM"**



This triple tap heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

### **FEATURES**

- Manufactured to 12/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 65 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- Lighted amber Power Check plug
- Lighted green Triple Tap Ground Check connector provides (3) additional power outlets when needed
- Jacket colors: Orange, Pink, Green, Blue, Red, Purple, Black and Yellow
- Lengths: 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

**WARNING:** ⚠ This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Part number  
**D17229100**

Length  
**100'**

Description  
**12/3 SJTW Triple Tap  
Extension Cord with CGM**

Product line  
**Pro Glo Extension Cord**

Color  
**Pro Glo Purple**

Gauge/Conductors  
**12/3**

Wire type  
**SJTW**

Certifications  
**UL, cUL, OSHA**

Electrical ratings  
**15A, 125V, 1875W**

Product packaging  
**Cuff wrapper**

Unit dimensions D x W x H (inches)  
**14.5 x 14.5 x 3.0**

Unit weight (lbs)  
**13.8**

Master carton type  
**Plain corrugated**

Master carton dimensions D x W x H  
**15.0 x 15.0 x 12.5**

Master carton weight (lbs)  
**55**

Master carton case quantity  
**4**

Master carton cube (cu. ft.)  
**1.6**

UPC  
**661899 108149**

**Custom Print Available,  
Absolutely Free!  
Allow 7 Extra Days For  
Delivery.**

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will promote more business.