









This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 10/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 104 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- Lighted amber Power Check plug
- Lighted green Ground Check connector
- · Jacket colors: Yellow, Green and Blue
- Lengths: 25ft, 50ft, & 100ft
- · UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17003025**

Length **25'**

Description

10/3 SJTW Extension Cord with CGM

Product line

Pro Glo Extension Cord

Color

Pro Glo Yellow

Gauge/Conductors

10/3

Wire type

SJTW

Certicifacations

UL, cUL, OSHA

Electrical ratings 15A, 125V, 1875W

Product packaging

Cuff wrapper

Unit dimensions D x W x H (inches)

12.5 x 12.5 x 2.1

Unit weight (lbs)

5.7

Master carton type

Plain corrugated

Master carton dimensions D x W x H

13.0 x 24.0 x 13.0

Master carton weight (lbs)

68

Master carton case quantity

12

Master carton cube (cu. ft.) **2.3**

..

UPC

661899 108248

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will











This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 10/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 104 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- Lighted amber Power Check plug
- · Lighted green Ground Check connector
- · Jacket colors: Yellow, Green and Blue
- Lengths: 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17003050**

Length **50'**

Description
10/3 SJTW Extension

10/3 SJTW Extension Cord with CGM

Product line

Pro Glo Extension Cord

Color

Pro Glo Yellow

Gauge/Conductors

10/3

Wire type

SJTW

Certicifacations

UL, cUL, OSHA

Electrical ratings **15A, 125V, 1875W**

Product packaging

Cuff wrapper

Unit dimensions D x W x H (inches)

14.5 x 14.5 x 3.9

Unit weight (lbs)

11.4

Master carton type

Plain corrugated

Master carton dimensions $D \times W \times H$

15.0 x 15.0 x 16.0

Master carton weight (lbs)

69

Master carton case quantity

6

Master carton cube (cu. ft.) **2.1**

_..

UPC

661899 107821

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will











This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 10/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 104 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket quarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- Lighted amber Power Check plug
- · Lighted green Ground Check connector
- · Jacket colors: Yellow, Green and Blue
- Lengths: 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17003100**

Length 100'

Description
10/3 SJTW Extension Cord
with CGM

Product line

Pro Glo Extension Cord

Color

Pro Glo Yellow

Gauge/Conductors

10/3

Wire type

SJTW

Certicifacations

UL, cUL, OSHA

Electrical ratings 15A, 125V, 1875W

Product packaging

Cuff wrapper

Unit dimensions D x W x H (inches)

15.5 x 15.5 x 4.0

Unit weight (lbs)

22.3

Master carton type

Plain corrugated

Master carton dimensions $D \times W \times H$

16.0 x 16.0 x 12.0

Master carton weight (lbs)

67

Master carton case quantity

J

Master carton cube (cu. ft.)

1.8

UPC

661899 107838

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will











This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 10/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 104 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket quarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- Lighted amber Power Check plug
- · Lighted green Ground Check connector
- Jacket colors: Yellow, Green and Blue
- Lengths: 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17004025**

Length 25'

Description

10/3 SJTW Extension Cord with CGM

Product line

Pro Glo Extension Cord

Color

Pro Glo Green

Gauge/Conductors

10/3

Wire type

SJTW

Certicifacations

UL, cUL, OSHA

Electrical ratings 15A, 125V, 1875W

Product packaging

Cuff wrapper

Unit dimensions D x W x H (inches)

12.5 x 12.5 x 2.1

Unit weight (lbs)

5.7

Master carton type

Plain corrugated

Master carton dimensions D x W x H

13.0 x 24.0 x 13.0

Master carton weight (lbs)

68

Master carton case quantity

12

Master carton cube (cu. ft.) **2.3**

..

UPC

661899 108255

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will











This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 10/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 104 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- Lighted amber Power Check plug
- Lighted green Ground Check connector
- · Jacket colors: Yellow, Green and Blue
- Lengths: 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17004050**

Length **50'**

Description

10/3 SJTW Extension Cord with CGM

Product line

Pro Glo Extension Cord

Color

Pro Glo Green

Gauge/Conductors

10/3

Wire type

SJTW

Certicifacations

UL, cUL, OSHA

Electrical ratings 15A, 125V, 1875W

Product packaging

Cuff wrapper

Unit dimensions D x W x H (inches)

14.5 x 14.5 x 3.9

Unit weight (lbs)

11.4

Master carton type

Plain corrugated

Master carton dimensions D x W x H

15.0 x 15.0 x 16.0

Master carton weight (lbs)

69

Master carton case quantity

6

Master carton cube (cu. ft.) **2.1**

_..

UPC

661899 107845

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will











This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 10/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 104 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket quarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- · Lighted amber Power Check plug
- Lighted green Ground Check connector
- · Jacket colors: Yellow, Green and Blue
- Lengths: 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17004100**

Length 100'

Description
10/3 SITW Extens

10/3 SJTW Extension Cord with CGM

Product line

Pro Glo Extension Cord

Color

Pro Glo Green

Gauge/Conductors

10/3

Wire type

SJTW

Certicifacations

UL, cUL, OSHA

Electrical ratings 15A, 125V, 1875W

Product packaging

Cuff wrapper

Unit dimensions D x W x H (inches)

15.5 x 15.5 x 4.0

Unit weight (lbs)

22.3

Master carton type

Plain corrugated

Master carton dimensions $D \times W \times H$

16.0 x 16.0 x 12.0

Master carton weight (lbs)

67

Master carton case quantity

3

Master carton cube (cu. ft.)

1.8

UPC

661899 107852

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will











This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 10/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 104 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- · SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- · Lighted amber Power Check plug
- · Lighted green Ground Check connector
- Jacket colors: Yellow, Green and Blue
- Lengths: 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17006025**

Length 25'

Description

10/3 SJTW Extension Cord with CGM

Product line

Pro Glo Extension Cord

Color

Pro Glo Blue

Gauge/Conductors

10/3

Wire type

SJTW

Certicifacations

UL, cUL, OSHA

Electrical ratings **15A, 125V, 1875W**

Product packaging

Cuff wrapper

Unit dimensions D x W x H (inches)

12.5 x 12.5 x 2.1

Unit weight (lbs)

5.7

Master carton type

Plain corrugated

Master carton dimensions D x W x H

13.0 x 24.0 x 13.0

Master carton weight (lbs)

68

Master carton case quantity

12

Master carton cube (cu. ft.) **2.3**

_..

UPC

661899 108262

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will











This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 10/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 104 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket quarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- Lighted amber Power Check plug
- Lighted green Ground Check connector
- · Jacket colors: Yellow, Green and Blue
- Lengths: 25ft, 50ft, & 100ft
- · UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17006050**

Length **50'**

Description
10/3 SJTW Extension Cord
with CGM

Product line

Pro Glo Extension Cord

Color

Pro Glo Blue

Gauge/Conductors

10/3

Wire type

SJTW

Certicifacations

UL, cUL, OSHA

Electrical ratings 15A, 125V, 1875W

Product packaging

Cuff wrapper

Unit dimensions D x W x H (inches)

14.5 x 14.5 x 3.9

Unit weight (lbs)

11.4

Master carton type

Plain corrugated

Master carton dimensions D x W x H

15.0 x 15.0 x 16.0

Master carton weight (lbs)

69

Master carton case quantity

6

Master carton cube (cu. ft.) **2.1**

_..

UPC

661899 107869

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will











This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 10/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 104 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- · Lighted amber Power Check plug
- · Lighted green Ground Check connector
- · Jacket colors: Yellow, Green and Blue
- Lengths: 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17006100**

Length 100'

Description
10/3 SJTW Extension Cord
with CGM

Product line

Pro Glo Extension Cord

Color

Pro Glo Blue

Gauge/Conductors

10/3

Wire type

SJTW

Certicifacations

UL, cUL, OSHA

Electrical ratings

15A, 125V, 1875W

Product packaging **Cuff wrapper**

Unit dimensions D x W x H (inches)

15.5 x 15.5 x 4.0

Unit weight (lbs)

22.3

Master carton type

Plain corrugated

Master carton dimensions D x W x H

16.0 x 16.0 x 12.0

Master carton weight (lbs)

67

Master carton case quantity

3

Master carton cube (cu. ft.)

1.8

UPC

661899 107876

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord.

Printed cords discourage jobsite theft and provide instant advertising and company recognition which will











This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 14/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 41 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- · Lighted amber Power Check plug
- · Lighted green Ground Check connector
- Jacket colors: Orange, Pink, Green, Blue, Red, and Yellow
- Lengths: 15ft, 25ft, 50ft, & 100ft
- · UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17332015**

Length 15'

Description
14/3 SITW Extension

14/3 SJTW Extension Cord with CGM

Product line

Pro Glo Extension Cord

Color

Pro Glo Orange

Gauge/Conductors

14/3

Wire type

SJTW

Certicifacations

UL, cUL, OSHA

Electrical ratings 15A, 125V, 1875W

Product packaging

Cuff wrapper

Unit dimensions D x W x H (inches)

11.0 x 11.0 x 0.8

Unit weight (lbs)

1.7

Master carton type

Plain corrugated

Master carton dimensions D x W x H

11.5 x 22.0 x 10.0

Master carton weight (lbs)

41

Master carton case quantity

24

Master carton cube (cu. ft.) **1.5**

- ...

UPC

661899 112948

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will











This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 14/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 41 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- · Lighted amber Power Check plug
- · Lighted green Ground Check connector
- Jacket colors: Orange, Pink, Green, Blue, Red, and Yellow
- Lengths: 15ft, 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17332025**

Length 25'

Description

14/3 SJTW Extension Cord with CGM

Product line

Pro Glo Extension Cord

Color

Pro Glo Orange

Gauge/Conductors

14/3

Wire type

SJTW

Certicifacations

UL, cUL, OSHA

Electrical ratings 15A, 125V, 1875W

Product packaging

Cuff wrapper

Unit dimensions D x W x H (inches)

11.0 x 11.0 x 1.3

Unit weight (lbs)

2.6

Master carton type

Plain corrugated

Master carton dimensions D x W x H

11.0 x 21.0 x 8.0

Master carton weight (lbs)

32

Master carton case quantity

12

Master carton cube (cu. ft.)

1.1

UPC

661899 107012

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will











This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 14/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 41 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- · Lighted amber Power Check plug
- · Lighted green Ground Check connector
- Jacket colors: Orange, Pink, Green, Blue, Red, and Yellow
- Lengths: 15ft, 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17332050**

Length **50'**

Description
14/3 SJTW Extensio

14/3 SJTW Extension Cord with CGM

Product line

Pro Glo Extension Cord

Color

Pro Glo Orange

Gauge/Conductors

14/3

Wire type

SJTW

Certicifacations

UL, cUL, OSHA

Electrical ratings 15A, 125V, 1875W

Product packaging

Cuff wrapper

Unit dimensions D x W x H (inches)

12.5 x 12.5 x 1.7

Unit weight (lbs)

5.1

Master carton type

Plain corrugated

Master carton dimensions D x W x H

13.0 x 13.0 x 10.0

Master carton weight (lbs)

30

Master carton case quantity

6

Master carton cube (cu. ft.) **1.0**

UPC

661899 107173

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will











This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 14/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 41 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 13A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- · Lighted amber Power Check plug
- · Lighted green Ground Check connector
- Jacket colors: Orange, Pink, Green, Blue, Red, and Yellow
- Lengths: 15ft, 25ft, 50ft, & 100ft
- · UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17332100**

Length 100'

Description
14/3 SJTW Extension Cord
with CGM

Product line

Pro Glo Extension Cord

Color

Pro Glo Orange

Gauge/Conductors

14/3

Wire type

SJTW

Certifications

UL, cUL, OSHA

Electrical ratings 13A, 125V, 1875W

Product packaging

Cuff wrapper

Unit dimensions D x W x H (inches)

13.5 x 13.5 x 2.7

Unit weight (lbs)

10.0

Master carton type

Plain corrugated

Master carton dimensions D x W x H

14.0 x 14.0 x 11.0

Master carton weight (lbs)

40

Master carton case quantity

4

Master carton cube (cu. ft.)

1.2

UPC

661899 107760

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will











This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 14/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 41 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- · Lighted amber Power Check plug
- · Lighted green Ground Check connector
- Jacket colors: Orange, Pink, Green, Blue, Red, and Yellow
- Lengths: 15ft, 25ft, 50ft, & 100ft
- · UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17333015**

Length 15'

Description

14/3 SJTW Extension Cord with CGM

Product line

Pro Glo Extension Cord

Color

Pro Glo Yellow

Gauge/Conductors

14/3

Wire type

SJTW

Certicifacations

UL, cUL, OSHA

Electrical ratings 15A, 125V, 1875W

Product packaging

Cuff wrapper

Unit dimensions D x W x H (inches)

11.0 x 11.0 x 0.8

Unit weight (lbs)

1.7

Master carton type

Plain corrugated

Master carton dimensions D x W x H

11.5 x 22.0 x 10.0

Master carton weight (lbs)

41

Master carton case quantity

24

Master carton cube (cu. ft.)

1.5

UPC

661899 112900

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will











This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 14/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 41 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- · Lighted amber Power Check plug
- · Lighted green Ground Check connector
- Jacket colors: Orange, Pink, Green, Blue, Red, and Yellow
- Lengths: 15ft, 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17333025**

Length 25'

Description

14/3 SJTW Extension Cord with CGM

Product line

Pro Glo Extension Cord

Color

Pro Glo Yellow

Gauge/Conductors

14/3

Wire type

SJTW

Certicifacations

UL, cUL, OSHA

Electrical ratings 15A, 125V, 1875W

Product packaging

Cuff wrapper

Unit dimensions D x W x H (inches)

11.0 x 11.0 x 1.3

Unit weight (lbs)

2.6

Master carton type

Plain corrugated

Master carton dimensions $D \times W \times H$

11.0 x 21.0 x 8.0

Master carton weight (lbs)

32

Master carton case quantity

12

Master carton cube (cu. ft.)

1.1

UPC

661899 107029

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will











This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 14/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 41 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- · Lighted amber Power Check plug
- · Lighted green Ground Check connector
- Jacket colors: Orange, Pink, Green, Blue, Red, and Yellow
- Lengths: 15ft, 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17333050**

Length **50'**

Description
14/3 SJTW Extension Cord

with CGM

Product line

Pro Glo Extension Cord

Color

Pro Glo Yellow

Gauge/Conductors

14/3

Wire type

SJTW

Certicifacations

UL, cUL, OSHA

Electrical ratings 15A, 125V, 1875W

Product packaging

Cuff wrapper

Unit dimensions D x W x H (inches)

12.5 x 12.5 x 1.7

Unit weight (lbs)

5.1

Master carton type

Plain corrugated

Master carton dimensions D x W x H

13.0 x 13.0 x 10.0

Master carton weight (lbs)

30

Master carton case quantity

6

Master carton cube (cu. ft.) **1.0**

UPC

661899 107180

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will











This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 14/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 41 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 13A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- · Lighted amber Power Check plug
- · Lighted green Ground Check connector
- Jacket colors: Orange, Pink, Green, Blue, Red, and Yellow
- Lengths: 15ft, 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17333100**

Length 100'

Description
14/3 SJTW Extension Cord

14/3 SJTW Extension Cor with CGM

Product line

Pro Glo Extension Cord

Color

Pro Glo Yellow

Gauge/Conductors

14/3

Wire type

SJTW

Certifications

UL, cUL, OSHA

Electrical ratings 13A, 125V, 1875W

Product packaging

Cuff wrapper

Unit dimensions D x W x H (inches)

13.5 x 13.5 x 2.7

Unit weight (lbs)

10.0

Master carton type

Plain corrugated

Master carton dimensions D x W x H

14.0 x 14.0 x 11.0

Master carton weight (lbs)

40

Master carton case quantity

4

Master carton cube (cu. ft.) **1.2**

- --

UPC

661899 107777

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will











This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 14/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 41 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- · Lighted amber Power Check plug
- · Lighted green Ground Check connector
- Jacket colors: Orange, Pink, Green, Blue, Red, and Yellow
- Lengths: 15ft, 25ft, 50ft, & 100ft
- · UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17334015**

Length 15'

Description
14/3 SITW Extens

14/3 SJTW Extension Cord with CGM

Product line

Pro Glo Extension Cord

Color

Pro Glo Green

Gauge/Conductors

14/3

Wire type

SJTW

Certicifacations

UL, cUL, OSHA

Electrical ratings 15A, 125V, 1875W

Product packaging

Cuff wrapper

Unit dimensions D x W x H (inches)

11.0 x 11.0 x 0.8

Unit weight (lbs)

1.7

Master carton type

Plain corrugated

Master carton dimensions D x W x H

11.5 x 22.0 x 10.0

Master carton weight (lbs)

41

Master carton case quantity

24

Master carton cube (cu. ft.) **1.5**

- ...

UPC

661899 112917

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will











This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 14/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 41 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- · Lighted amber Power Check plug
- · Lighted green Ground Check connector
- Jacket colors: Orange, Pink, Green, Blue, Red, and Yellow
- Lengths: 15ft, 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17334025**

Length 25'

Description

14/3 SJTW Extension Cord with CGM

Product line

Pro Glo Extension Cord

Color

Pro Glo Green

Gauge/Conductors

14/3

Wire type

SJTW

Certiflcations

UL, cUL, OSHA

Electrical ratings 15A, 125V, 1875W

Product packaging

Cuff wrapper

Unit dimensions D x W x H (inches)

11.0 x 11.0 x 1.3

Unit weight (lbs)

2.6

Master carton type

Plain corrugated

Master carton dimensions D x W x H

11.0 x 21.0 x 8.0

Master carton weight (lbs)

32

Master carton case quantity

12

Master carton cube (cu. ft.)

1.1

UPC

661899 107036

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will











This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 14/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 41 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- · Lighted amber Power Check plug
- · Lighted green Ground Check connector
- Jacket colors: Orange, Pink, Green, Blue, Red, and Yellow
- Lengths: 15ft, 25ft, 50ft, & 100ft
- · UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17334050**

Length **50'**

Description
14/3 SJTW Extension

14/3 SJTW Extension Cord with CGM

Product line

Pro Glo Extension Cord

Color

Pro Glo Green

Gauge/Conductors

14/3

Wire type

SJTW

Certicifacations

UL, cUL, OSHA

Electrical ratings 15A, 125V, 1875W

Product packaging

Cuff wrapper

Unit dimensions D x W x H (inches)

12.5 x 12.5 x 1.7

Unit weight (lbs)

5.1

Master carton type

Plain corrugated

Master carton dimensions D x W x H

13.0 x 13.0 x 10.0

Master carton weight (lbs)

30

Master carton case quantity

6

Master carton cube (cu. ft.) **1.0**

UPC

661899 107197

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will











This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 14/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 41 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 13A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- · Lighted amber Power Check plug
- · Lighted green Ground Check connector
- Jacket colors: Orange, Pink, Green, Blue, Red, and Yellow
- Lengths: 15ft, 25ft, 50ft, & 100ft
- · UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17334100**

Length 100'

Description
14/3 SITW Fxtens

14/3 SJTW Extension Cord with CGM

Product line

Pro Glo Extension Cord

Color

Pro Glo Green

Gauge/Conductors

14/3

Wire type

SJTW

Certifications

UL, cUL, OSHA

Electrical ratings 13A, 125V, 1875W

Product packaging

Cuff wrapper

Unit dimensions D x W x H (inches)

13.5 x 13.5 x 2.7

Unit weight (lbs)

10.0

Master carton type

Plain corrugated

Master carton dimensions D x W x H

14.0 x 14.0 x 11.0

Master carton weight (lbs)

40

Master carton case quantity

4

Master carton cube (cu. ft.) **1.2**

- --

UPC

661899 107784

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will











This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 14/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 41 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- Lighted amber Power Check plug
- Lighted green Ground Check connector
- Jacket colors: Orange, Pink, Green, Blue, Red, and Yellow
- Lengths: 15ft, 25ft, 50ft, & 100ft
- · UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17335015**

Length 15'

Description

14/3 SJTW Extension Cord with CGM

Product line

Pro Glo Extension Cord

Color

Pro Glo Pink

Gauge/Conductors

14/3

Wire type

SJTW

Certicifacations

UL, cUL, OSHA

Electrical ratings 15A, 125V, 1875W

Product packaging

Cuff wrapper

Unit dimensions D x W x H (inches)

11.0 x 11.0 x 0.8

Unit weight (lbs)

1.7

Master carton type

Plain corrugated

Master carton dimensions $D \times W \times H$

11.5 x 22.0 x 10.0

Master carton weight (lbs)

41

Master carton case quantity

24

Master carton cube (cu. ft.)

1.5

UPC

661899 112924

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will











This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 14/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 41 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- · Lighted amber Power Check plug
- · Lighted green Ground Check connector
- Jacket colors: Orange, Pink, Green, Blue, Red, and Yellow
- Lengths: 15ft, 25ft, 50ft, & 100ft
- · UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17335025**

Length 25'

Description

14/3 SJTW Extension Cord with CGM

Product line

Pro Glo Extension Cord

Color

Pro Glo Pink

Gauge/Conductors

14/3

Wire type

SJTW

Certicifacations

UL, cUL, OSHA

Electrical ratings 15A, 125V, 1875W

Product packaging

Cuff wrapper

Unit dimensions D x W x H (inches)

11.0 x 11.0 x 1.3

Unit weight (lbs)

2.6

Master carton type

Plain corrugated

Master carton dimensions D x W x H

11.0 x 21.0 x 8.0

Master carton weight (lbs)

32

Master carton case quantity

12

Master carton cube (cu. ft.)

1.1

UPC

661899 107043

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will











This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 14/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 41 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 13A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- · Lighted amber Power Check plug
- · Lighted green Ground Check connector
- Jacket colors: Orange, Pink, Green, Blue, Red, and Yellow
- Lengths: 15ft, 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17335100**

Length 100'

Description
14/3 SJTW Extension Cord

with CGM
Product line

Pro Glo Extension Cord

Color

Pro Glo Pink

Gauge/Conductors

14/3

Wire type

SJTW

Certifications

UL, cUL, OSHA

Electrical ratings 13A, 125V, 1875W

Product packaging

Cuff wrapper

Unit dimensions D x W x H (inches)

13.5 x 13.5 x 2.7

Unit weight (lbs)

10.0

Master carton type

Plain corrugated

Master carton dimensions D x W x H

14.0 x 14.0 x 11.0

Master carton weight (lbs)

40

Master carton case quantity

4

Master carton cube (cu. ft.)

1.2

UPC

661899 107791

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will











This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 14/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 41 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- · Lighted amber Power Check plug
- · Lighted green Ground Check connector
- Jacket colors: Orange, Pink, Green, Blue, Red, and Yellow
- Lengths: 15ft, 25ft, 50ft, & 100ft
- · UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17336015**

Length 15'

Description

14/3 SJTW Extension Cord with CGM

Product line

Pro Glo Extension Cord

Color

Pro Glo Blue

Gauge/Conductors

14/3

Wire type

SJTW

Certicifacations

UL, cUL, OSHA

Electrical ratings 15A, 125V, 1875W

Product packaging

Cuff wrapper

Unit dimensions D x W x H (inches)

11.0 x 11.0 x 0.8

Unit weight (lbs)

1.7

Master carton type

Plain corrugated

Master carton dimensions D x W x H

11.5 x 22.0 x 10.0

Master carton weight (lbs)

41

Master carton case quantity

24

Master carton cube (cu. ft.)

1.5

UPC

661899 112955

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will











This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 14/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 41 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket quarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- Lighted amber Power Check plug
- Lighted green Ground Check connector
- Jacket colors: Orange, Pink, Green, Blue, Red, and Yellow
- Lengths: 15ft, 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17336025**

Length 25'

Description

14/3 SJTW Extension Cord with CGM

Product line

Pro Glo Extension Cord

Color

Pro Glo Blue

Gauge/Conductors

14/3

Wire type

SJTW

Certicifacations

UL, cUL, OSHA

Electrical ratings 15A, 125V, 1875W

Product packaging

Cuff wrapper

Unit dimensions D x W x H (inches)

11.0 x 11.0 x 1.3

Unit weight (lbs)

2.6

Master carton type

Plain corrugated

Master carton dimensions D x W x H

11.0 x 21.0 x 8.0

Master carton weight (lbs)

32

Master carton case quantity

12

Master carton cube (cu. ft.)

1.1

UPC

661899 107050

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will











This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 14/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 41 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket quarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- Lighted amber Power Check plug
- Lighted green Ground Check connector
- Jacket colors: Orange, Pink, Green, Blue, Red, and Yellow
- Lengths: 15ft, 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17336050**

Length **50'**

Description
14/3 SJTW Extension Cord
with CGM

Product line

Pro Glo Extension Cord

Color

Pro Glo Blue

Gauge/Conductors

14/3

Wire type

SJTW

Certicifacations

UL, cUL, OSHA

Electrical ratings

15A, 125V, 1875W

Product packaging **Cuff wrapper**

Unit dimensions D x W x H (inches)

12.5 x 12.5 x 1.7

Unit weight (lbs)

5.1

Master carton type

Plain corrugated

Master carton dimensions D x W x H

13.0 x 13.0 x 10.0

Master carton weight (lbs)

30

Master carton case quantity

6

Master carton cube (cu. ft.) **1.0**

UPC

661899 107210

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will











This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 14/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 41 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 13A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- · Lighted amber Power Check plug
- · Lighted green Ground Check connector
- Jacket colors: Orange, Pink, Green, Blue, Red, and Yellow
- Lengths: 15ft, 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17336100**

Length 100'

Description
14/3 SJTW Extension Cord
with CGM

Product line

Pro Glo Extension Cord

Color

Pro Glo Blue

Gauge/Conductors

14/3

Wire type

SJTW

Certifications

UL, cUL, OSHA

Electrical ratings 13A, 125V, 1875W

Product packaging

Cuff wrapper

Unit dimensions D x W x H (inches)

13.5 x 13.5 x 2.7

Unit weight (lbs)

10.0

Master carton type

Plain corrugated

Master carton dimensions D x W x H

14.0 x 14.0 x 11.0

Master carton weight (lbs)

40

Master carton case quantity

4

Master carton cube (cu. ft.) **1.2**

- --

UPC

661899 107807

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will











This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 14/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 41 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- Lighted amber Power Check plug
- Lighted green Ground Check connector
- Jacket colors: Orange, Pink, Green, Blue, Red, and Yellow
- Lengths: 15ft, 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17337015**

Length 15'

Description
14/3 SJTW Extension

14/3 SJTW Extension Cord with CGM

Product line

Pro Glo Extension Cord

Color

Pro Glo Red

Gauge/Conductors

14/3

Wire type

SJTW

Certicifacations

UL, cUL, OSHA

Electrical ratings 15A, 125V, 1875W

Product packaging

Cuff wrapper

Unit dimensions D x W x H (inches)

11.0 x 11.0 x 0.8

Unit weight (lbs)

1.7

Master carton type

Plain corrugated

Master carton dimensions D x W x H

11.5 x 22.0 x 10.0

Master carton weight (lbs)

41

Master carton case quantity

24

Master carton cube (cu. ft.) **1.5**

- ---

UPC

661899 112931

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will











This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 14/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 41 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- · Lighted amber Power Check plug
- · Lighted green Ground Check connector
- Jacket colors: Orange, Pink, Green, Blue, Red, and Yellow
- Lengths: 15ft, 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17337025**

Length 25'

Description

14/3 SJTW Extension Cord with CGM

Product line

Pro Glo Extension Cord

Color

Pro Glo Red

Gauge/Conductors

14/3

Wire type

SJTW

Certicifacations

UL, cUL, OSHA

Electrical ratings 15A, 125V, 1875W

Product packaging

Cuff wrapper

Unit dimensions D x W x H (inches)

11.0 x 11.0 x 1.3

Unit weight (lbs)

2.6

Master carton type

Plain corrugated

Master carton dimensions D x W x H

11.0 x 21.0 x 8.0

Master carton weight (lbs)

32

Master carton case quantity

12

Master carton cube (cu. ft.)

1.1

UPC

661899 107371

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will











This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 14/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 41 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- · Lighted amber Power Check plug
- · Lighted green Ground Check connector
- Jacket colors: Orange, Pink, Green, Blue, Red, and Yellow
- Lengths: 15ft, 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17337050**

Length **50'**

Description
14/3 SJTW Extension Cord

with CGM
Product line

Pro Glo Extension Cord

Color

Pro Glo Red

Gauge/Conductors

14/3

Wire type

SJTW

Certicifacations

UL, cUL, OSHA

Electrical ratings 15A, 125V, 1875W

Product packaging

Cuff wrapper

Unit dimensions D x W x H (inches)

12.5 x 12.5 x 1.7

Unit weight (lbs)

5.1

Master carton type

Plain corrugated

Master carton dimensions D x W x H

13.0 x 13.0 x 10.0

Master carton weight (lbs)

30

Master carton case quantity

6

Master carton cube (cu. ft.)

1.0

UPC

661899 107418

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will











This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 14/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 41 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 13A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- Lighted amber Power Check plug
- Lighted green Ground Check connector
- Jacket colors: Orange, Pink, Green, Blue, Red, and Yellow
- Lengths: 15ft, 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17337100**

Length 100'

Description

14/3 SJTW Extension Cord with CGM

Product line

Pro Glo Extension Cord

Color

Pro Glo Red

Gauge/Conductors

14/3

Wire type

SJTW

Certifications

UL, cUL, OSHA

Electrical ratings 13A, 125V, 1875W

Product packaging

Cuff wrapper

Unit dimensions D x W x H (inches)

13.5 x 13.5 x 2.7

Unit weight (lbs)

10.0

Master carton type

Plain corrugated

Master carton dimensions D x W x H

14.0 x 14.0 x 11.0

Master carton weight (lbs)

40

Master carton case quantity

4

Master carton cube (cu. ft.)

1.2

UPC

661899 107814

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will







25ft 12/3 SJTW

-40°F Coldweather Extension Cords with "CGM"





This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 12/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 65 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- · Lighted amber Power Check plug
- Lighted green Ground Check connector
- · Jacket colors: Orange, Pink, Green, Blue, Red, Purple, Black and Yellow
- Lengths: 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17442025**

Length 25'

Description
12/3 SJTW Extension Cord
with CGM

Product line

Pro Glo Extension Cord

Color

Pro Glo Orange

Gauge/Conductors

12/3

Wire type

SJTW

Certicifacations

UL, cUL, OSHA

Electrical ratings 15A, 125V, 1875W

Product packaging

Cuff wrapper

Unit dimensions D x W x H (inches)

11.5 x 11.5 x 1.5

Unit weight (lbs)

3.5

Master carton type

Plain corrugated

Master carton dimensions $D \times W \times H$

11.5 x 22.0 x 10.5

Master carton weight (lbs)

42

Master carton case quantity

12

Master carton cube (cu. ft.) **1.5**

- ---

UPC

661899 107562

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will







50ft 12/3 SJTW

-40°F Coldweather Extension Cords with "CGM"





This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 12/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 65 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- Lighted amber Power Check plug
- Lighted green Ground Check connector
- Jacket colors: Orange, Pink, Green, Blue, Red, Purple, Black and Yellow
- Lengths: 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17442050**

Length **50'**

Description 12/3 SJTW Extension Cord with CGM

Product line

Pro Glo Extension Cord

Color

Pro Glo Orange

Gauge/Conductors

12/3

Wire type

SJTW

Certicifacations

UL, cUL, OSHA

Electrical ratings 15A, 125V, 1875W

Product packaging

Cuff wrapper

Unit dimensions D x W x H (inches)

12.5 x 12.5 x 2.5

Unit weight (lbs)

6.8

Master carton type

Plain corrugated

Master carton dimensions D x W x H

13.0 x 13.0 x 12.0

Master carton weight (lbs)

41

Master carton case quantity

6

Master carton cube (cu. ft.)

1.2

UPC

661899 107579

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will











This heavy duty coldweather PVC cord is equipped with our patented "CGM" Continuous Ground Monitoring connector. This latest safety feature identifies that there is ground continuity in a circuit when the green light turns on. In addition, the lighted amber male plug indicates there is power flowing through the cord.

FEATURES

- Manufactured to 12/3 AWG (American Wire Gauge) specifications
- Each of the three conductors contain 65 strands of 30 AWG 100% copper wire
- All copper is soft drawn & annealed for maximum flexibility under full load
- Our Pro Glo® high visibility coldweather PVC insulation and jacket guarantees working flexibility in temperatures down to -40°F
- · SJTW outside jacket is rated at 300 volts
- We use heavy duty molded on 15A-125V NEMA 5-15 plugs & connectors that will not to pull away from the cord body
- Lighted amber Power Check plug
- · Lighted green Ground Check connector
- Jacket colors: Orange, Pink, Green, Blue, Red, Purple, Black and Yellow
- Lengths: 25ft, 50ft, & 100ft
- UL Listed and cUL Approved for Canada

WARNING: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Part number **D17442100**

Length 100'

Description
12/3 SJTW Extension Cord
with CGM

Product line

Pro Glo Extension Cord

Colo

Pro Glo Orange

Gauge/Conductors

12/3

Wire type

SJTW

Certicifacations

UL, cUL, OSHA

Electrical ratings 15A, 125V, 1875W

Product packaging

Cuff wrapper

Unit dimensions D x W x H (inches)

15.5 x 15.5 x 3.0

Unit weight (lbs)

13.3

Master carton type

Plain corrugated

Master carton dimensions $D \times W \times H$

15.0 x 15.0 x 12.5

Master carton weight (lbs)

53

Master carton case quantity

4

Master carton cube (cu. ft.) **1.6**

UPC

661899 107586

Custom Print Available, Absolutely Free! Allow 7 Extra Days For Delivery.

We'll print your customer's name and telephone number every 12 inches down the entire length of the cord. Printed cords discourage jobsite theft and provide instant advertising and company recognition which will