





### **OFFERING INNOVATIVE** WIRE MANAGEMENT SOLUTIONS



QUEST TECHNOLOGY INTERNATIONAL, INC. www.QuestTechnologyIntl.com • Medley, FL, U.S.A. Toll Free 800.280.1067 •

### WireHider<sup>®</sup> Raceway

- Constructed of UL94V-0 flame retardant PVC
- ✓ Available Cover Lids are optional
- 4 foot and 6 foot lengths are available
- / No hardware required, fast & easy installation
- ✓ UV Stabilizer to prevent color fading
- ✓ Cover Lids have a latex paintable PVC surface
- ✓ Solvent based adhesive tape for strong, secure installation

The WireHider<sup>®</sup> Surface Mount Raceway was designed with both the professional and the DIY installer in mind. WireHider<sup>®</sup> was designed to eliminate the problem of hard to install locations where the cable has a tendency to fall out, especially on ceiling runs. This raceway duct speeds up installation by enabling you to simply push the cables into its flexible center slit and it allows you to exit anywhere along the run without the concern of the cable falling out.

				Race	eway	Cove	r Lids
Width	Length	Package	Case Qty	WHITE	BEIGE	WHITE	BEIGE
1/2"	4 FT.	RETAIL 1 PACK	24	FWH-11411	FWH-11421	FCL-21411	FCL-21421
	4 FT.	RETAIL 6 PACK	4	FWH-11916	FWH-11926	FCL-21916	FCL-21926
	4 FT.	BULK CARTON	48	FWH-11414	FWH-11424	FCL-21414	FCL-21424
1	6 FT.	BULK CARTON	50	FWH-11614	FWH-11624	FCL 21614	FCL-21624
1"	2 FT.	RETAIL 1 PACK	24	FWH-12211		FCL-22211	
	2 FT.	BULK CARTON	28	FWH-12214		FCL-22214	· · · · · · · · · · · · · · · · · · ·
	4 FT.	RETAIL 1 PACK	24	FWH-12411	FWH-12421	FCL-22411	FCL-22421
	4 FT.	RETAIL 6 PACK	4	FWH-12916	FWH-12926	FCL-22916	FCL-22926
	4 FT.	BULK CARTON	28	FWH-12414	FWH-12424	FCL-22414	FCL-22424
84-74-2	6 FT.	BULK CARTON	40	FWH-12614	FWH-12624	FCL-22614	FCL-22624
11/2"	4 FT.	RETAIL 1 PACK	24	FWH-13411	FWH-13421	FCL-23411	FCL-23421
	4 FT.	RETAIL 4 PACK	4	FWH-13914	FWH-13924	FCL-23914	FCL-23924
	4 FT.	BULK CARTON	24	FWH-13414	FWH-13424	FCL-23414	FCL-23424
	6 FT.	BULK CARTON	40	FWH-13614	FWH-13624	FCL-23614	FCL-23624

#### **Retail Package**

\*Clear and additional colors are available upon request with minimum order quantities.

Racew	<b>Raceway Interior Dimensions</b>			over Lid	l Interior Di	mensions
Size	Width	Height		Size	Width	Height
1/2"	0.475"	0.475"		1/2"	0.645"	0.535"
1"	1.085"	0.545"		1"	1.225"	0.605"
11/2"	1.5"	0.687"		11⁄2"	1.687 <b>"</b>	0.875"



### Raceway On-A-Roll®

### PULL! SNIP! SNAP!

- ✓ Cut-to-Length Efficiency, fast & easy installation
- ✓ Compact Storage 50 ft. or 100 ft. per Pull-Out Box
- ✓ Constructed of UL94V-0 flame retardant PVC
- ✓ Built with UV Stabilizer to prevent color fading
- ✓ Latex paintable PVC surface
- ✓ Solvent based adhesive tape for secure installation
- ✓ No waste, Use 100% of material

Raceway On-A-Roll<sup>®</sup> is ideal for wiring security systems, telecom & datacom, and home theater installations. When pulled out of the box, Raceway On-A-Roll<sup>®</sup> is in its flat design, can be cut to exact size, and snaps together into a standard duct shape. The 1/2" and 1" Raceway On-A-Roll system is compatible with the accessory components of the WireHider System. It comes complete with a solvent based curing adhesive tape on the back for secure adhesion to the wall. It is an easy and efficient way to organize and conceal wires or cables of any kind. Packaged in a pizza box style dispenser its cut-to-length efficiency, provides 100% usable raceway.

Raceway On-A-Roll®					
Width	Length	Package	Qty	WHITE	BEIGE
1/4"	50 FT.	PULL-OUT BOX	1	FWF-25511	FWF-25521
	100 FT.	PULL-OUT BOX	1	FWF-25111	FWF-25121
3/8"	50 FT.	PULL-OUT BOX	1	FWF-14511	FWF-14521
	100 FT.	PULL-OUT BOX	1	FWF-14111	FWF-14121
3/8" Low Profile	50 FT.	PULL-OUT BOX	1	FWF-38511	FWF-38521
1/2"	50 FT.	PULL-OUT BOX	1	FWF-05511	FWF-05521
1"	50 FT.	PULL-OUT BOX	1	FWF-10511	FWF-10521

\*Accessories available for 1/2" and 1" sizes of Raceway On-A-Roll®.

R.O.A.R. Interior Dimensions				
Size	Width	Height		
1/4"	0.255"	0.125"		
3/8"	0.375"	0.375"		
3/8" Low Profile	0.255"	0.125"		
1/2"	0.475"	0.475"		
1"	1.085"	0.545"		



R.O.A.R. Pull-Out Box



#### QUEST TECHNOLOGY INTERNATIONAL, INC. Toll Free 800.280.1067 • www.QuestTechnologyIntl.com • Medley, FL, U.S.A.

## Latching Duct Raceway



- Flexible living hinge
- ✓ Compatible with WireHider<sup>®</sup> accessories
- ✓ Constructed of UL94V-0 flame retardant PVC
- ✓ Built with UV Stabilizer to prevent color fading
- ✓ Latex paintable PVC surface
- ✓ Solvent based adhesive tape for secure installation

The WireHider<sup>®</sup> Latching Duct Raceway System is an economical alternative to many two-piece solutions. It is designed with a flexible living hinge allowing for multiple adds/moves/changes as your wiring requirements change. This Latching Duct system is compatible with the accessory components of the two-piece WireHider<sup>®</sup> System. It comes complete with a solvent based adhesive tape on the back for secure adhesion to the wall. It is easy to install, and it eliminates the need to stock both channel and cover lids as required by most two-piece systems.

#### Latching Duct Raceway

Width	Length	Package	Case Qty	WHITE	BEIGE	
1/2"	6 FT.	BULK CARTON	20	LDR-01612	LDR-01622	
1"	6 FT.	BULK CARTON	20	LDR-02612	LDR-02622	
11/2"	6 FT.	BULK CARTON	20	LDR-03612	LDR-03622	







Duct/PVC Cutting Tool Heavy duty tool, Ideal for cutting PVC Raceway or Latching Duct Item # TMS-2000



### WireHider® Raceway Flat Screen TV Cord Cover Kit

- Hides unsightly wires and power cords
- ✓ Dual 1<sup>1</sup>/<sub>2</sub>" Raceways with 3" wide paintable Cover Lid
- ✓ No hardware required, fast & easy installation
- ✓ Paintable Cover Lid for color matching
- ✓ Solvent based adhesive tape for secure installation
- ✓ Dimensions: 48"L x 3"W x 1"H (Can be cut-to-length)

### Flat Screen TV Cord Cover Kit

Width	Length	Package	Case Qty	WHITE
3"	4 FT.	RETAIL 1 PACK	6	FSTVK-01





BEIGE FSTVK-02

**Retail Package** 







QUEST TECHNOLOGY INTERNATIONAL, INC.

### **Raceway Accessories**

The list of accessories below is designed for use with WireHider<sup>®</sup>, Latching Duct and Raceway On-A-Roll. These accessories are made from UL Listed UL94V-0 Fire Retardant ABS material with a UV Stabilizer to prevent color fading.



Right Angle						
Size	Qty	WHITE	BEIGE			
1/2"	2	FRA-31412	FRA-31422			
	12	FRA-31414	FRA-31424			
1"	2	FRA-32412	FRA-32422			
	12	FRA-32414	FRA-32424			
<b>1</b> ½"	2	FRA-33412	FRA-33422			
	12	FRA-33414	FRA-33424			



Outside Corner						
Size	Qty	WHITE	BEIGE			
1/2"	2	FOC-51412	FOC-51422			
	12	FOC-51414	FOC-51424			
1"	2	FOC-52412	FOC-52422			
	12	FOC-52414	FOC-52424			
11/2"	2	FOC-53412	FOC-53422			
	12	FOC-53414	FOC-53424			



End Cap						
Size	Qty	WHITE	BEIGE			
1/2"	2	FEC-71412	FEC-71422			
	12	FEC-71414	FEC-71424			
1"	2	FEC-72412	FEC-72422			
	12	FEC-72414	FEC-72424			
11/2"	2	FEC-73412	FEC-73422			
	12	FEC-73414	FEC-73424			



		Tee	
Size	Qty	WHITE	BEIGE
1/2"	1	FTC-81412	FTC-81422
	12	FTC-81414	FTC-81424
1"	1	FTC-82412	FTC-82422
	12	FTC-82414	FTC-82424
11/2"	1	FTC-83412	FTC-83422
	12	FTC-83414	FTC-83424



### Inside Corner

Size	Qty	WHITE	BEIGE
1/2"	2	FIC-41412	FIC-41422
	12	FIC-41414	FIC-41424
1"	2	FIC-42412	FIC-42422
	12	FIC-42414	FIC-42424
11⁄2"	2	FIC-43412	FIC-43422
	12	FIC-43414	FIC-43424



#### **Ceiling Drop**

Qty	WHITE	BEIGE
2	FCD-61412	FCD-61422
12	FCD-61414	FCD-61424
2	FCD-62412	FCD-62422
12	FCD-62414	FCD-62424
2	FCD-63412	FCD-63422
12	FCD-63414	FCD-63424
	2 12 2 12 2	2 FCD-61412   12 FCD-61414   2 FCD-62412   12 FCD-62414   2 FCD-63412



Surface Mount	Box
Description	WHITE
1 <sup>1</sup> / <sub>2</sub> " Single-Gang SMB	NFP-3000
2" Single-Gang SMB	NFP-3005





**Coupler** WireHider<sup>®</sup> Raceway Size Qty WHITE BEIGE 1/2" 12 FJC-05W FJC-05E 1" 12 FJC-10W FJC-10E 11/2" 12 FJC-15W FJC-15E



Cou	pler	Latching Duc	t & R.O.A.R.
Size	Qty	WHITE	BEIGE
1/2"	12	FCF-LD05W	FCF-LD05E
1"	12	FCF-LD10W	FCF-LD10E
11/2"	12	FCF-LD15W	FCF-LD15E



# WireHider<sup>®</sup> P.O.P. Display

### POINT-OF-PURCHASE

- ✓ Individually barcoded ½", 1", 1½" WireHider & CoverLids
- ✓ Accessories for all three WireHider sizes are included
- ✓ Solvent Adhesive Tape for Fast & Easy Installation
- ✓ Built with UV stabilizer to prevent color fading
- ✓ Coverlids are latex paintable for color matching of decor
- ✓ Constructed of UL94V-O flame retardant PVC

ltone dl	Description	Included Otre	Decader Otre
Item #	Description	Included Qty	Reorder Qty
PWP-2X3-6W	6 FT. WIREHIDER P.O.P. DISPLAY		1
WIREHIDER RACEWAY			
FWH-11614-DP	1/2" X 72" PREMIERE WIREHIDER RACEWAY	25	25
FWH-12614-DP	1" X 72" PREMIERE WIREHIDER RACEWAY	20	20
FWH-13614-DP	11/2" X 72" PREMIERE WIREHIDER RACEWAY	20	20
WIREHIDER COVER LIDS			
FCL-21614-DP	1/2" X 72" COVER LID	10	25
FCL-22614-DP	1" X 72" COVER LID	10	20
FCL-23614-DP	11/2" X 72" COVER LID	10	20
END CAPS			
FEC-71414-DP	1/2" END CAP ACCESSORY	12	12
FEC-72414-DP	1" END CAP ACCESSORY	12	12
FEC-73414-DP	11/2" END CAP ACCESSORY	12	12
INSIDE CORNER			
FIC-41414-DP	1/2" INSIDE CORNER ACCESSORY	12	12
FIC-42414-DP	1" INSIDE CORNER ACCESSORY	6	12
FIC-43414-DP	11/2" INSIDE CORNER ACCESSORY	4	12
OUTSIDE CORNER			
FOC-51414-DP	1/2" OUTSIDE CORNER ACCESSORY	12	12
FOC-52414-DP	1" OUTSIDE CORNER ACCESSORY	6	12
FOC-53414-DP	11/2" OUTSIDE CORNER ACCESSORY	4	12
RIGHT ANGLE			
FRA-31414-DP	1/2" RIGHT ANGLE ACCESSORY	12	12
FRA-32414-DP	1" RIGHT ANGLE ACCESSORY	6	12
FRA-33414-DP	11/2" RIGHT ANGLE ACCESSORY	4	12
COUPLERS - WIREHIDER			
FJC-05W-DP	1/2" COUPLER WIRE HIDER	12	12
FJC-10W-DP	1" COUPLER WIRE HIDER	6	12
FJC-15W-DP	11/2" COUPLER WIRE HIDER	4	12
TEE CONNECTORS			
FTC-81414-DP	1/2" TEE ACCESSORY	12	12
FTC-82414-DP	1" TEE ACCESSORY	6	12
FTC-83414-DP	11/2" TEE ACCESSORY	4	12
BLUE DEMO BOARD	BLUE DEMO BOARD, 8" X 10"	1	
POP DISPLAY BOX	RACEWAY POP DISPLAY, 21" X 26" X 40"	1	



6 ft. WireHider<sup>®</sup> P.O.P. Display



**Blue Demo Board Included** 

"DP" indicates Display Program Pack



\*P.O.P. Display Programs are available in 4 ft. WireHider, 6 ft. WireHider and 6 ft. Latching Duct.

# **Cable Capacity Chart**

WireHider <sup>®</sup>		1/2" Series			1" Series			1 <sup>1</sup> / <sub>2</sub> " Series			
Cable / Wire Size	Category/Designation Cable	OD	20%	40%	100%	20%	40%	100%	20%	40%	100%
Coaxial Cable	RG58	3.0mm	1	2	5	2	4	9	5	11	25
	RG59	6.0mm	0	1	2	1	2	5	3	7	15
	RG62	6.0mm	0	1	2	1	2	5	3	7	15
	RG6	7.0mm	0	1	2	1	2	5	2	5	11
	RG6 QUAD	7.5mm	0	1	2	1	2	5	2	5	11
Telephone & LAN	2-Pair, 24 AWG	4.0mm	2	4	9	4	8	18	10	21	45
UnShielded Twisted	3-Pair, 24 AWG	5.0mm	1	3	7	3	7	15	9	18	40
Pair (UTP)	4-Pair, 24 AWG	6.2mm	1	2	5	2	4	9	5	11	25
	25-Pair, 24 AWG	10.0mm	0	0	0	0	1	2	1	2	5
Telephone & LAN	2-Pair, 24 AWG	4.0mm	2	4	9	4	8	18	10	21	45
Shielded Twisted	3-Pair, 24 AWG	5.0mm	1	3	7	3	7	15	9	18	40
Pair (STP)	4-Pair, 24 AWG	6.2mm	1	2	5	2	4	9	5	11	25
	25-Pair, 24 AWG	10.0mm	0	0	0	0	1	2	1	2	5
HDMI	19Cond., 28AWG	7.5mm	0	1	2	1	2	5	2	5	11
USB	4 Cond., 28AWG	5.0mm	1	3	7	3	7	15	9	18	40
RCA (RGB)	3 Cond., 28AWG	10.0mm	1	2	5	2	4	9	5	11	25
Fiber Optic	Two Strand (Duplex), Multimode, 62.5/125um	3.0mm	1	2	5	2	4	9	5	11	25

#### **Premiere Raceway Materials**

Wirehider	Two Piece Raceway System with Flexible Flaps that grip wires/cables during installation
Base Channel	Mat'l: Rigid PVC ULS4VD Flame Retardant listed material - UV Stabilized
Category 5/5E/6/6A Accessories	Mat'l: ABS UL94VO/5A Flame Retardant listed material - UV Stabilized - latex paintable

### **Premiere Raceway Certifications**

Wire Hider <sup>®</sup> Raceway System ha	as passed all requirements for the following Standards in the United States and Canada.	
Conforms to UL 5A	Standard for Safety for Nonmetallic Surface Raceways and Fittings, Fourth Addition	2 33
Certified to CSA C22.2 No. 62.1	Nonmetallic Surface Raceways and Fittings, Fourth Addition	С
Plenum Rating of FT-4	Wire Hider® Raceway and associated fittings exhibit self-extinguishing characteristics	

Important Note: All base raceway items supplied with solvent adhesive tape on bottom surface. Mechanical fastening (screws) may be required in some cases. Copyright 2016 Premiere Raceway Products, Inc. Made in USA all rights reserved.







#### QUEST TECHNOLOGY INTERNATIONAL, INC.

Toll Free 800.280.1067 • www.QuestTechnologyIntl.com • Medley, FL, U.S.A.